## ASUS PRIME B760M-A WIFI D4 Intel B760 LGA 1700 mikro ATX

Tuotemerkki : ASUS Tuotekoodi: 90MB1CX0-M1EAY0

Tuotteen nimi: PRIME B760M-A WIFI D4

ASUS PRIME B760M-A WIFI D4. Suoritinvalmistaja: Intel, Prosessorin kanta: LGA 1700, Yhteensopivat prosessorit: Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9,.... Tuetut muistityypit: DDR4-SDRAM, Sisäinen enimmäismuisti: 128 GB, Muistipaikkojen tyyppi: DIMM. Tuetut tallennusasemaliitännät: M.2, PCI Express 4.0, SATA III, Tuetut tallennusasematyypit: HDD & SSD, RAID-tasot: 0, 1, 5, 10. Enimmäiserottelutarkkuus: 3840 x 2160 pikseliä. USB-liitin: USB A-tyyppi





Processor			Rear panel I/O ports	
Processor manufacturer *		Intel	USB 2.0 ports quantity *	4
Processor socket *		LGA 1700 Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9, Intel® Pentium® Gold	USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	2
Compatible processor series *			Ethernet LAN (RJ-45) ports *	1
			PS/2 ports quantity	1
Supported processor sockets		LGA 1700	HDMI ports quantity *	2
Memory		20/1/00	HDMI version	2.1
Supported memory types * Number of memory slots *	DDR4-SDRAM 4		DisplayPorts quantity	1
Memory slots type	DIMM		DisplayPort version	1.4
Memory channels ECC compatibility	Dual-channel Non-ECC		Headphone outputs	3
Supported memory clock speeds Supported memory clock speed	MHz	.00,3333,3400,3466,3600,3733,4000,4266,4400,4600,4800,5000,5066,5333	WiFi-AP antenna jack	1
(max)  Maximum internal memory *	5333 MHz 128 GB		USB connector type	USB Type-A
Unbuffered memory	/		Network	
Storage control	lers		Ethernet LAN	
Supported storage drive types		HDD & SSD M.2, PCI Express 4.0, SATA III		<b>✓</b>
Supported storage drive interfaces			Ethernet interface type	2.5 Gigabit Ethernet
Number of storage drives supported		6	Wake-on-LAN ready	<b>✓</b>
RAID support		✓	Wi-Fi *	✓
RAID levels		0, 1, 5, 10	Top Wi-Fi standard	Wi-Fi 6 (802.11ax)
Graphics			Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)
Parallel processing technology support *		Not supported	Bluetooth	✓ (302.22ax)
Maximum resolution		3840 x 2160 pixels	Bluetooth version	5.2
Internal I/O			Features	
USB 2.0 connectors *		3	Motherboard chipset *	Intel B760
USB 3.2 Gen 1 (3.1 Gen 1)		3	Audio output channels *	7.1 channels
connectors *			Product colour	Black
Number of SATA III connectors *		4	Component for *	PC
S/PDIF out connector		✓		

Internal I/O		Features	
Front panel audio connector NTX Power connector (24-pin) CPU fan connector	v v	Motherboard form factor * Motherboard chipset family * Windows operating systems supported	micro ATX Intel Windows 10 x64, Windows 11 x
Number of chassis fan connectors EPS power connector (8-pin)	2	Expansion slots PCI Express x16 (Gen 4.x) slots	3
TPM connector  12V power connector	<b>v</b>	BIOS	UEELAM
RGB LED pin header	✓	BIOS type * BIOS memory size Clear CMOS jumper	UEFI AMI 128 Mbit ✓
		Weight & dimensions	
		Width Depth	244 mm 244 mm
		Packaging content	
		Cables included Antenna included	SATA ✓
		Screws included	✓

