


ASUS PRIME B550M-K ARGB AMD B550 Kanta AM4 mikro ATX

Tuotemerkki : ASUS

Tuotekoodi: 90MB1GC0-M0EAY0

Tuotteen nimi : PRIME B550M-K ARGB

ASUS PRIME B550M-K ARGB. Suoritinvalmistaja: AMD, Prosessorin kanta: Kanta AM4. Tuetut muistityypit: DDR4-SDRAM, Sisäinen enimmäismuisti: 64 GB, Muistipaikkojen tyyppi: DIMM. Tuetut tallennusasemaliitännät: M.2, Tuetut tallennusasematyypit: HDD & SSD, RAID-tasot: 0, 1, 10. Ethernet-liitännän tyyppi: Gigabitti Ethernet. Komponentti (tuotteelle): PC, Emolevyn muototekijä: mikro ATX, Emolevyn piirisarjan perhe: AMD



Processor		Rear panel I/O ports	
Processor manufacturer *	AMD	HDMI version	2.1
Processor socket *	Socket AM4	DisplayPorts quantity	1
		DisplayPort version	1.4
		Headphone outputs	1
		Line-in	✓
		Microphone in	✓
Memory		Network	
Supported memory types *	DDR4-SDRAM	Ethernet LAN	✓
Number of memory slots *	2	Ethernet interface type	Gigabit Ethernet
Memory slots type	DIMM	Wake-on-LAN ready	✓
Memory channels	Dual-channel		
Supported memory clock speeds MHz	2133,2400,2666,2800,2933,3000,3200,3333,3400,3466,3600,3733,3866,4000,4133,4200,4266,4333,4400,4466,4600,4866,5100	Features	
Maximum internal memory *	64 GB	Motherboard chipset *	AMD B550
Unbuffered memory	✓	Audio output channels *	7.1 channels
		Component for *	PC
Storage controllers		Motherboard form factor *	micro ATX
Supported storage drive types	HDD & SSD	Motherboard chipset family *	AMD
Supported storage drive interfaces *	M.2	Windows operating systems supported	Windows 10 x64, Windows 11
RAID support	✓	Expansion slots	
RAID levels	0, 1, 10	PCI Express x1 (Gen 3.x) slots	1
		PCI Express x16 (Gen 3.x) slots	1
		PCI Express x16 (Gen 4.x) slots	1
		Number of M.2 (M) slots	2
Internal I/O		BIOS	
USB 2.0 connectors *	2	BIOS type *	EFI AMI
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	2	BIOS memory size	128 Mbit
Number of SATA III connectors *	4	Clear CMOS jumper	✓
S/PDIF out connector	✓		
Front panel audio connector	✓		
Front panel connector	✓		
ATX Power connector (24-pin)	✓		
CPU fan connector	✓		
Number of chassis fan connectors	2		
Number of COM connectors	1		
TPM connector	✓		
12V power connector	✓		
RGB LED pin header	✓		

Rear panel I/O ports		Packaging data	
USB 2.0 ports quantity *	2	Package width	260 mm
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4	Package depth	270 mm
Ethernet LAN (RJ-45) ports *	1	Package height	515 mm
PS/2 ports quantity	1	Package weight	960 g
HDMI ports quantity *	1	Weight & dimensions	
		Width	244 mm
		Depth	221 mm
		Height	36.5 mm
		Packaging content	
		Cables included	SATA
		Other features	
		Weight	460 g



4711387316030

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 22-DEC-2024. Prints or copies of Information are only valid on the printed Publication date