Epson EB-815E data projector Ultra short throw projector 5000 ANSI lumens 3LCD 1080p (1920x1080) Black

Brand: Epson Product code: V11HA99180

Product name: EB-815E

- 4KE super-UST display
- Scalable 80" to 160"
- 5,000 lumens 3LCD laser
- Wireless connectivity

Super UST 4KE laser display

Epson EB-815E data projector Ultra short throw projector 5000 ANSI lumens 3LCD 1080p (1920x1080) Black:

EB-815E, Epson's first 4KE super-ultra-short-throw laser display designed for businesses, hybrid working and immersive spaces

The EB-815E can be placed just centimetres away from a wall to create bright 4KE images up to 160". It projects content in stunning clarity and offers a low cost, energy efficient large display solution with a convenient and quick set up.

Epson EB-815E. Projector brightness: 5000 ANSI lumens, Projection technology: 3LCD, Projector native resolution: 1080p (1920x1080). Light source type: Laser, Service life of light source: 20000 h, Service life of light source (economic mode): 30000 h. Focus: Manual, Fixed focal length: 2.3 mm, Zoom ratio: 1.35:1. Video colour modes: Blackboard, Cinema, DICOM simulation mode, Dynamic, Natural, Presentation. Serial interface type: RS-232C, Service port type: USB Type-B

Projector		Features	
Smart projector * Screen size compatibility * Projector brightness * Projection technology * Projector native resolution * Contrast ratio (typical) * Native aspect ratio * Projector brightness (economic mode) Matrix size	x 2032 - 4064 mm (80 - 160") 5000 ANSI lumens 3LCD 1080p (1920x1080) 25000000:1 16:9 3500 ANSI lumens 1.57 cm (0.62")	Interactive * Noise level (economic mode) Noise level * High Dynamic Range (HDR) supported High Dynamic Range (HDR) technology Password protection Multimedia Built-in speaker(s) *	X 26 dB 35 dB ✓ High Dynamic Range 10 (HDR10), Hybrid Log-Gamma (HLG) ✓
Light source		Design	
Light source type * Service life of light source * Service life of light source (economic mode)	Laser 20000 h 30000 h	Market positioning * Product type * Product colour *	Business Ultra short throw projector Black
Lens system		Placement Cable leak elet	Ceiling, Desktop, Wall
Focus * Fixed focal length	Manual 2.3 mm	Cable lock slot Cable lock slot type	✓ Kensington
F-number (relative aperture)	1.8	Display	
Zoom ratio	1.35:1	Built-in display *	×
Throw ratio	0.16 - 0.40:1	Power	
Video		Power source *	AC
Analog signal format system * Full HD * 3D *	Not supported ✓ ×	Power consumption (typical) * Power consumption (max) Power consumption (economy mode)	290 W 380 W 192 W
Video colour modes	Blackboard, Cinema, DICOM simulation mode, Dynamic, Natural, Presentation	AC input voltage AC input frequency	100 - 240 V 50 - 60 Hz
Ports & interfaces		AC adapter output voltage	100 - 240 V
Service port type	USB Type-B	Operational conditions	
USB 2.0 ports quantity Serial interface type *	2 RS-232C	Storage temperature (T-T) Operating relative humidity (H-H)	-10 - 60 °C 20 - 80%

Ports & interfaces		Operational conditions	
HDMI ports quantity *	3	Storage relative humidity (H-H)	10 - 90%
DVI port *	X	Weight & dimensions	
Network		Width	695 mm
Smart TV *	×	Depth	341 mm
Ethernet LAN *	✓	Height	156 mm
Ethernet LAN (RJ-45) ports	1	Weight *	12.5 kg
File and LANGE and an	10 100 Mbi+/c	Packaging content	
Ethernet LAN data rates	10,100 Mbit/s	r dekaging content	
Wi-Fi *	10,100 Mbit/S ✓	Remote control included *	✓
	,		*
Wi-Fi *	√ 802.11a, 802.11b, 802.11g, Wi-Fi 4	Remote control included *	
Wi-Fi * Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)	Remote control included *	



8715946726540

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.