Ariete 0993/20 Ruostumaton teräs Pöytämalli 22.5 cm Kiinteä levy 1 alue(tta)

Tuotemerkki : Ariete Tuotekoodi: 00C099320AR0

Tuotteen nimi: 0993/20

Ariete 0993/20. Tuotteen väri: Ruostumaton teräs, Laitteen sijoitus: Pöytämalli, Keittolevyn leveyden koko: 22.5 cm. Ohjaustyyppi: Rotaatio, Ohjauksen sijainti: Etu. Liitäntäteho (sähköinen): 1500 W. Tuotteen leveys: 295 mm, Tuotteen syvyys: 225 mm, Tuotteen korkeus: 85 mm. Pakkauksen leveys: 340 mm, Pakkauksen syvyys: 100 mm, Pakkauksen korkeus: 280 mm





Design		Ergonomics	
Number of gas cooking zones * Number of electric cooking zones * Cooking zone 1 type	per of gas cooking zones * 0 zone(s) per of electric cooking zones * 1 zone(s) ng zone 1 type Regular ng zone 1 shape Round ng zone 1 position Central ng zone 1 power source Electric ng zone 1 diameter 187 mm ng zone 1 power 1500 W ng zone 2 type Not applicable ng zone 3 type Not applicable ng zone 5 type Not applicable ng zone 6 type Not applicable ng zone 7 type Not applicable ng zone 7 type Stainless steel countertop width size * 22.5 cm ype * Sealed plate purport material Cast iron prover X	Electronic ignition Flame failure device Residual heat indicator	x x x
Cooking zone 1 shape Cooking zone 1 position Cooking zone 1 power source Cooking zone 1 diameter Cooking zone 1 power Cooking zone 2 type		Cooker hood Built-in hood * Power Connected load (electric) * Connected load (gas) *	1500 W 0 W
Cooking zone 3 type Cooking zone 4 type Cooking zone 5 type Cooking zone 6 type Cooking zone 7 type Fish burner		Weight & dimensions Width Depth Height Weight	295 mm 225 mm 85 mm 2.19 kg
Product colour * Appliance placement * Hob width size * Hob type * Top surface type *		Packaging data Package width Package depth Package height Package weight	340 mm 100 mm 280 mm 2.51 kg
Pan support material Hob cover Performance		Other features Warranty period Logistics data	2 year(s)
Accidental start up protection Ergonomics Control type * Control position *	Rotary Front	Products per intermodal container (20ft) Products per intermodal container (40ft)	2598 pc(s) 5385 pc(s)

Ergonomics		Logistics data	
Built-in display * Timer	××	Products per intermodal container (40ft, HC)	6315 pc(s)
		Products per pallet	144 pc(s)
		Master (outer) case gross weight	8.03 kg
		Products per master (outer) case	3 pc(s)



8003705111592

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.