

## StarTech.com P2DD46A2-KVM-SWITCH KVM-kytkin musta

**Tuotemerkki :** StarTech.com

**Tuotekoodi:** P2DD46A2-KVM-SWITCH

**Tuotteen nimi :** P2DD46A2-KVM-SWITCH

StarTech.com P2DD46A2-KVM-SWITCH. Näppäimistöportin liitin: USB, Hiiriportin liitin: USB, Videoportin tyyppi: DisplayPort. HD-tyyppi: 4K Ultra HD, Enimmäiserottelutarkkuus: 3840 x 2160 pikseliä, Tiedonsiirtonopeus (maks.): 5 Gbit/s. Tuotteen väri: musta, Kaapelin enimmäispituus: 7,5 m, Keskimääräinen vikaantumisaika: 173052 h. Voimanlähde: DC, Tulojännite: 100 - 240 V, Syöttöjännite: 1 A. Vaatimustenmukaisuustodistukset: RoHS



Ports & interfaces		Power	
Number of computers controlled *	2	Power source	DC
Keyboard port type *	USB	Input voltage	100 - 240 V
Mouse port type *	USB	Input current	1 A
Video port type *	DisplayPort	Output voltage	12 V
DisplayPorts quantity	4	Output current	3 A
DisplayPort version	1.2	Compatible power plug types	EU, JP, UK, US
Console ports *	3.5mm headphone, 3.5mm mic, DisplayPort, USB A	Sustainability	
Console USB ports quantity	4	Sustainability compliance	✓
Console DisplayPorts ports quantity	2	Compliance certificates	RoHS
Audio connections	✓	Operational conditions	
Headphone outputs	3	Operating temperature (T-T)	0 - 40 °C
Number of microphone inputs	3	Storage temperature (T-T)	-20 - 60 °C
DC-in jack	✓	Operating relative humidity (H-H)	0 - 90%
Performance		Weight & dimensions	
HD type *	4K Ultra HD	Width	100 mm
Maximum resolution *	3840 x 2160 pixels	Depth	163 mm
Data transfer rate (max)	5 Gbit/s	Height	66 mm
Scan interval	10,20,30,40,50,60 s	Weight	800 g
Plug and Play	✓	Packaging data	
Daisy chain	✗	Package width	160 mm
Design		Package depth	270 mm
Rack mounting *	✗	Package height	192 mm
Product colour *	Black	Package weight	1.3 kg
Maximum cable length	7.5 m	Packaging content	
LED indicators	✓	Quick installation guide	✓
Push button	✓		

Design		Other features	
Hot keys	✓	IP control	✗
Mean time between failures (MTBF)	173052 h	<b>Logistics data</b>	
Display		Master (outer) case width	554 mm
Built-in display *	✗	Master (outer) case length	495 mm
On Screen Display (OSD)	✗	Master (outer) case height	213 mm
		Products per master (outer) case	6 pc(s)



0065030899505



065030899505

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.