Lindy DST-Pro USB4, USB-C Laptop Docking Station

Brand : Lindy

Product name : DST-Pro USB4, USB-C Laptop Docking Station

Product code: 43372

- Connects an HDMI and/or a DisplayPort display, USB peripherals and power over a single cable
- Supports 8K 30Hz for a single display or 4K 60Hz for two displays (MST)*
- Integrated 4 port USB SuperSpeed 10Gbps Hub (3 x Type A, 1 x Type C)
- USB Power Delivery capable up to 100W
- 2 year warranty

DST-Pro USB4, USB-C Laptop Docking Station
Lindy DST-Pro USB4, USB-C Laptop Docking Station. Connectivity technology: Docking, Host interface: USB4, USB Power Delivery up to: 100 W. Ethernet LAN data rates: 1000 Mbit/s. Product colour: Anthracite, Compatible memory cards: MicroSD (TransFlash), SD, Data transfer rate: 1 Gbit/s. Power source type: USB, Power consumption (max): 20 W. Width: 129 mm, Depth: 69.5 mm, Height: 48 mm

Ports & interfaces

Connectivity technology *	Docking
Host interface *	USB4
USB 2.0 ports quantity *	3
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	3
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1
USB4 ports quantity	1
PowerShare	✔
Number of USB ports with PowerShare support	3
USB Power Delivery (USB PD)	✔
USB Power Delivery revision	3.0
USB Power Delivery up to	100 W
HDMI ports quantity *	1
HDMI version	2.1
DisplayPorts quantity	1
DisplayPort version	1.4
Microphone in *	✔
Combo headphone/mic port	✔
Headphone outputs *	1
Headphone connectivity	3.5 mm
HDCP	✔
HDCP version	2.2
USB Type-C DisplayPort Alternate Mode	✔

Network

Ethernet LAN *	✔
Ethernet LAN (RJ-45) ports	1

Performance

Compatible memory cards	MicroSD (TransFlash), SD
Data transfer rate	1 Gbit/s
Maximum digital resolution	7680 x 4320 pixels
Number of displays supported	2
Maximum refresh rate	120 Hz
Product colour *	Anthracite
Housing material	Aluminium

Power

Power source type	USB
Power consumption (max)	20 W

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-10 - 70 °C
Operating relative humidity (H-H)	10 - 90%

Sustainability

Sustainability compliance	✔

Weight & dimensions

Width	129 mm
Depth	69.5 mm
Height	48 mm
Weight	300 g

Packaging data

Package width	174 mm
Package depth	151 mm
Package height	56 mm
Package weight	400 g

Network	
Ethernet LAN data rates	1000 Mbit/s

Performance	
Card reader integrated *	✔

Packaging content	
Cables included	USB Type-C to USB Type-C
Manual	✔

Technical details	
Compliance certificates	CE, Federal Communications Commission (FCC), REACH, RoHS

Network	
Ethernet LAN data rates	1000 Mbit/s

Performance	
Card reader integrated *	✔

4002888433723