

ATEN CL6700MW-ATA-2XK06SG KVM switch Rack mounting Black

Brand: ATEN Product code: CL6700MW-ATA-2XK06SG

Product name: CL6700MW-ATA-2XK06SG

USB DVI WideScreen Full HD LCD Console with USB, Spanish

ATEN CL6700MW-ATA-2XK06SG KVM switch Rack mounting Black:

The CL6700MW DVI Full HD LCD Console is a single rail KVM console featuring a 17.3" LED-backlit high-definition widescreen with an integrated keyboard and touchpad in a 1U rack-mountable sliding housing. The CL6700MW's console provides front end access to compatible KVM switches utilizing space with a module that closes fl at and slides into the rack. The single rail design allows the LCD monitor, keyboard and touchpad to operate independently of each other. Multiple video ports allow the console to connect one of three types of video sources: VGA, DVI, or HDMI - for the console and CPU connection. For added convenience, the full HD console provides two HDMI ports that allow for connecting a high-defi nition monitor to the console port, and/or an HDMI compatible switch to the KVM port.





Ports & interfaces		Power	
Keyboard port type * Mouse port type * HDMI ports quantity DVI-D ports quantity VGA (D-Sub) ports quantity	1 USB USB 2 2 2	AC input frequency Input current Power consumption (typical)	50 - 60 Hz 1 A 19.4 W
		System requirements	
		Windows operating systems supported	/
USB connector type	USB Type-A, USB Type-B	Linux operating systems supported	✓
Performance		Mac operating systems supported	✓
HD type * Maximum resolution * DDC/DDC2 supported	Full HD 1920 x 1080 pixels	Sustainability	
		Compliance certificates	RoHS
DDC2B support	· ·	Operational conditions	
Design		Operating temperature (T-T) Storage temperature (T-T)	0 - 40 °C -20 - 60 °C
Rack mounting *	✓	Operating relative humidity (H-H)	0 - 80%
Rack capacity	ct colour * Black ng material Metal dicators	Weight & dimensions	
Housing material LED indicators Keyboard language		Width Depth Height Weight	589.2 mm 480 mm 44 mm 11.4 kg
Display		Packaging content	11.4 Kg
Built-in display * Display	✓ LCD	Manual	/
Display diagonal	43.9 cm (17.3")	Logistics data	
Power		Harmonized System (HS) code	85176200
Input voltage	100 - 240 V		

