



## Canon MAXIFY GX2050 Mustesuihku A4 600 x 1200 DPI Wi-Fi

**Tuotemerkki :** Canon

**Tuoteperhe:** MAXIFY

**Tuotekoodi:** 6171C006


**Tuotteen nimi :** GX2050

Canon MAXIFY GX2050. Tulostustekniikka: Mustesuihku, Tulostus: Väritulostus, Suurin resoluutio: 600 x 1200 DPI. Kopiointi: Värikopiointi. Skannaus: Väriskannaus, Optinen skannauserottelutarkkuus: 1200 x 2400 DPI. Faksaus: Väriefaksaus. Kaksipuolinen toiminto: Tulosta. Suurin ISO A-luokan paperikoko: A4. Wi-Fi. Tuotteen väri: musta, Valkoinen



Printing		Ports & interfaces	
Print technology *	Inkjet	USB port	✓
Printing *	Colour printing	USB connector	USB Type-B
Duplex printing *	✓	<b>Network</b>	
Maximum resolution *	600 x 1200 DPI	Wi-Fi *	✓
Print speed (ISO/IEC 24734) mono	15 ipm	Ethernet LAN *	✓
Print speed (ISO/IEC 24734) colour	10 ipm	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Time to first page (black, normal)	9 s	Security algorithms	WPA-AES, WPA-EAP, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-EAP, WPA2-PSK, WPA2-TKIP, WPA3-EAP, WPA3-SAE
Time to first page (colour, normal)	10 s	Mobile printing technologies	Apple AirPrint, Mopria Print Service, PIXMA Cloud Link
Copying		Performance	
Copying *	Colour copying	Sound pressure level (printing)	46.5 dB
Maximum number of copies	99 copies	Design	
Copier resize	25 - 400%	Product colour *	Black, White
N-in-1 copy function	✓	Market positioning *	Home & office
N-in-1 copy function (N=)	2, 4	Built-in display *	✓
ID-card copy function	✓	Display	LCD
Scanning		Display diagonal	6.86 cm (2.7")
Scanning *	Colour scanning	Control type	Touch
Optical scanning resolution *	1200 x 2400 DPI	Colour display	✓
Maximum scan area	216 x 297 mm	Power	
Scanner type *	Flatbed scanner	Power consumption (copying)	21 W
Scan technology	CIS	Power consumption (off)	0.1 W
Input colour depth	16 bit	Energy Star Typical Electricity Consumption (TEC)	0.14 kWh/week
Output colour depth	8 bit		
Input greyscale depth	16 bit		
Output greyscale depth	8 bit		
Fax			
Faxing *	Colour faxing		

<b>Fax</b>		<b>Power</b>	
Fax resolution (colour)	200 x 200 DPI	AC input voltage	100 - 240 V
Modem speed	33.3 Kbit/s	AC input frequency	50/60 Hz
Fax memory	250 pages	<b>System requirements</b>	
Speed dialling	✓	Windows operating systems supported	Windows 10, Windows 11, Windows 8.1
<b>Features</b>		Mac operating systems supported	Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.7.5 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 13.0 Ventura
Maximum duty cycle *	27000 pages per month	Server operating systems supported	Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019, Windows Server 2022
Duplex functions *	Print	Mobile operating systems supported	Android, iOS
Number of print cartridges *	4	Other operating systems supported	Android, iOS
Printing colours *	Black, Cyan, Magenta, Yellow	<b>Operational conditions</b>	
<b>Input &amp; output capacity</b>		Operating relative humidity (H-H)	10 - 90%
Total number of input trays *	1	Operating temperature (T-T)	5 - 35 °C
Maximum input capacity	250 sheets	<b>Weight &amp; dimensions</b>	
<b>Paper handling</b>		Width	374 mm
Maximum ISO A-series paper size *	A4	Depth	510 mm
Paper tray media types *	Envelopes, Executive, Plain paper	Height	260 mm
ISO A-series sizes (A0...A9) *	A4, A5, A6	Weight	8.1 kg
ISO B-series sizes (B0...B9)	B5	<b>Packaging content</b>	
Non-ISO print media sizes	Executive, Legal, Letter, Oficio	Cartridge(s) included	✓
Envelopes sizes	10, C5, DL, Monarch	Included cartridge capacity (black)	3000 pages
Photo paper sizes	10x15,13x18,18x25,20x25	Included cartridge capacity (CMY)	3000 pages
Custom media width	89 - 216 mm	Included cartridge capacity (economy mode, black)	4500 pages
Custom media length	127 - 355.6 mm	Included cartridge capacity (economy mode, CMY)	4500 pages
Paper tray media weight	64 - 105 g/m <sup>2</sup>	Cables included	AC



4549292219722

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 23-DEC-2024. Prints or copies of Information are only valid on the printed Publication date