

## ASUS ROG HYPERION GR701 Tower Black

**Brand :** ASUS

**Product code:** 90DC00F0-B39000

**Product name :** ROG HYPERION GR701

- Extra Cooling: Dual 420mm radiator support, four 140 mm fans and a built-in fan hub offer massive airflow possibilities
  - Extra Space: The beefiest graphics cards get plenty of room; cable management gets an expansive chamber that is 34 mm deep, with a 46 mm wide routing channel
  - Extra Convenience: Hinged tool-free side panels, a built-in storage drawer and an integrated graphics card holder come together to amp up the building experience
  - Extra Power: Dual USB Type-C ports, 60-watt fast charging, aluminum-reinforced frame and handles deliver power and premium ruggedness
  - Extra Stylish: The fan hub and lighting panel all support Aura Sync, and the chassis is decked out with anodized metal and hairline finishes
- ROG Hyperion GR701 E-ATX computer case, 420 mm dual radiator support, four 140 mm fans, metal GPU holder, component storage, ARGB fan hub, 60W fast charging.



Design		Ports & interfaces	
Form factor *	Tower	USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	2
Type *	PC	<b>Cooling</b>	
Product colour *	Black	Fan speed control	✓
Supported motherboard form factors *	ATX, EATX, micro ATX, Mini-ITX	Front fans installed	3x 140 mm
Number of 3.5" bays *	2	Number of front fans supported (max)	3
Number of 2.5" bays	5	Front fans diameters supported	420,120,140,240,280,360 mm
Number of internal 3.5" bays	2	Rear fans installed	1x 140 mm
Number of storage drives supported	7	Number of rear fans supported (max)	1
Number of expansion slots	9	Rear fans diameters supported	120,140 mm
Side window	✓	Number of top fans supported (max)	3
Suitable for	Gaming	Top fans diameters supported	120,140,240,280,360,420 mm
Illumination	✓	Front radiator sizes supported	120,140,240,280,360,420 mm
Illumination colour	Multi	Rear radiator sizes supported	120,140 mm
Tempered glass panel(s)	✓	Top radiator sizes supported	120,140,240,280,360,420 mm
Anti-dust filter	✓	<b>Storage</b>	
Cable management	✓	Supported HDD sizes *	2.5,3.5"
Reset button	✓	HDD/SSD combo cage	✓
On/off button	✓	SSD form factor	2.5"
RGB control button	✓	Number of HDDs supported	7
LED indicators	✓	<b>Weight &amp; dimensions</b>	
Maximum CPU cooler height	19 cm	Width	268 mm
Maximum graphics card length	46 cm	Depth	639 mm
Maximum PSU length	24 cm	Height	659 mm
<b>Power supply</b>			
Power supply included *	✗		

Ports & interfaces		Weight & dimensions	
Audio input	✓	Weight	20.8 kg
Audio output	✓		
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4		



4711081982784



4711081982760

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 15-NOV-2024. Prints or copies of Information are only valid on the printed Publication date