



BenQ LH600ST dataprojektori Lähiprojektori 2500 ANSI lumenia DLP 1080p (1920x1080) 3D musta

Tuotemerkki : BenQ
Tuotteen nimi : LH600ST

Tuotekoodi: 9H.JS477.13E

BenQ LH600ST. Projektorin kirkkaus: 2500 ANSI lumenia, Projektioteknologia: DLP, Projektorin oletusresoluutio: 1080p (1920x1080). Valonlähteen tyyppi: LED, Valonlähteen käyttöikä: 20000 h, Valonlähteen käyttöikä (säästötila): 30000 h. Zoomaussuhde: 1.2:1, Heittosuhde: 0.69-0.83, Siirtymä: 102,5%. Tuetut grafiikan erottelutarkkuudet: 640 x 480 (VGA), Videon väritilat: Bright cinema, Esitys, Urheilu, sRGB. Sarjaliitännän tyyppi: RS-232, HDMI-versio: 1.4a



Projector		Ports & interfaces	
Supported aspect ratios	1:1, 4:3, 16:10, 16:9	AC (power) in	✓
Smart projector *	✗	Network	
Screen size compatibility *	3810 - 4572 mm (150 - 180")	Smart TV *	✗
Projector brightness *	2500 ANSI lumens	Ethernet LAN *	✗
Projection technology *	DLP	Wi-Fi *	✓
Projector native resolution *	1080p (1920x1080)	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Contrast ratio (typical) *	20000:1	Storage	
Native aspect ratio *	16:9	Card reader integrated *	✗
Horizontal scan range	15 - 102 kHz	Features	
Vertical scan range	23 - 120 Hz	Interactive *	✗
Keystone correction, horizontal	±30°	Noise level (economic mode)	28 dB
Keystone correction, vertical	±30°	Noise level *	34 dB
Colour gamut	95%	Multimedia	
Light source		Built-in speaker(s) *	✓
Light source type *	LED	RMS rated power	10 W
Service life of light source *	20000 h	Number of built-in speakers	1
Service life of light source (economic mode)	30000 h	Design	
Lens system		Market positioning *	Home cinema
Zoom capability	✓	Product type *	Short throw projector
Zoom ratio	1.2:1	Product colour *	Black
Throw ratio	0.69-0.83	Display	
Offset	102.5%	Built-in display *	✗
Video		Power	
Full HD *	✓	Power source *	AC
3D *	✓		
Supported graphics resolutions	640 x 480 (VGA)		

Video		Power	
Video colour modes	Bright cinema, Presentation, Sports, sRGB	Power consumption (typical) *	215 W
		Power consumption (standby) *	0.5 W
Ports & interfaces		AC input voltage	100-240 V
HDMI version	1.4a	AC input frequency	50/60 Hz
USB 2.0 ports quantity	2	Weight & dimensions	
Serial interface type *	RS-232	Width	303.5 mm
PC Audio out	✓	Depth	220.7 mm
HDMI ports quantity *	2	Height	107.4 mm
DVI port *	✗	Packaging content	
		Remote control included *	✓
		Batteries included	✓
		3D glasses included	✓
		Other features	
		Security updates end date	31/12/2026



4718755091926



0840046048914



840046048914

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 21-DEC-2024. Prints or copies of Information are only valid on the printed Publication date