BenQ W2710 dataprojektori 2200 ANSI lumenia DLP UHD 4K (3840x2160) Valkoinen, Harmaa

Tuotemerkki : BenQ

Tuotteen nimi : W2710

Tuotekoodi: 9H.JPY77.38E

BenQ W2710. Projektorin kirkkaus: 2200 ANSI lumenia, Projektioteknologia: DLP, Projektorin oletusresoluutio: UHD 4K (3840x2160). Valonlähteen tyyppi: Lamppu, Valonlähteen käyttöikä: 4000 h, Valonlähteen käyttöikä (säästötila): 10000 h. Polttovälialue: 12 - 15.6 mm, Aukkoalue (F-F): 1,9 - 2,47, Zoomaussuhde: 1.3:1. Tuetut grafiikan erottelutarkkuudet: 640 x 480 (VGA), 3840 x 2160, Tuetut videomoodit: 1080p, 2160p, Videon väritilat: Bright cinema. Sarjaliitännän tyyppi: RS-232, HDMI-versio: 2.0b

Projector

Projector brightness *	2200 ANSI lumens
Projection technology *	DLP
Projector native resolution *	UHD 4K (3840x2160)
Contrast ratio (typical) *	50000:1
Native aspect ratio *	16:9
Number of colours	1.07 billion colours
Horizontal scan range	15 - 135 kHz
Vertical scan range	23 - 120 Hz
Keystone correction, horizontal	-30 - 30°
Keystone correction, vertical	-30 - 30°

Light source

Light source type *	Lamp
Service life of light source *	4000 h
Service life of light source (economic mode)	10000 h

Lens system

Focal length range	12 - 15.6 mm
Aperture range (F-F)	1.9 - 2.47
Zoom ratio	1.3:1
Throw ratio	1.13~1.47
Vertical lens shift range	0 - 10%
Offset	100%

Video

Full HD *	✔
Supported graphics resolutions	640 x 480 (VGA), 3840 x 2160
Supported video modes	1080p, 2160p
Video colour modes	Bright cinema

Ports & interfaces

DC-in jack	✔

Network

Ethernet LAN *	✘

Storage

Card reader integrated *	✘

Features

Noise level (economic mode)	28 dB
HDCP	✔
Preset modes	3D, Bright, Cinema, ISF Day
Noise level *	30 dB
High Dynamic Range (HDR) supported	✔
High Dynamic Range (HDR) technology	Filmmaker Mode, High Dynamic Range 10 (HDR10), Hybrid Log-Gamma (HLG)

Multimedia

Built-in speaker(s) *	✔
RMS rated power	10 W
Number of built-in speakers	2
Audio decoders	Dolby Atmos

Design

Market positioning *	Home cinema
Product colour *	White, Grey

Display

Built-in display *	✘

Ports & interfaces

HDMI version	2.0b
USB 2.0 ports quantity	1
USB 2.0 Type-A ports quantity	1
Mini-USB 2.0 ports quantity	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1
Headphone outputs	1
Serial interface type *	RS-232
S/PDIF out port	✔
HDMI ports quantity *	3
DVI port *	✘

Power

Power source *	AC
Power consumption (typical) *	330 W
Power consumption (standby) *	0.5 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz

Operational conditions

Operating temperature (T-T)	0 - 40 °C

Weight & dimensions

Width	380 mm
Depth	263 mm
Height	127 mm
Weight *	4.2 kg

Packaging content

Remote control included *	✔
Batteries included	✔
Cables included	Power
Manual	✔

Other features

Security updates end date	31/12/2026

4718755088643