

## StarTech.com DK31C4DPPDUE kannettavien tietokoneiden telakka ja porttitoistin Langallinen USB 3.2 Gen 2 (3.1 Gen 2) Type-C musta, Harmaa

**Tuotemerkki :** StarTech.com

**Tuotekoodi:** DK31C4DPPDUE

**Tuotteen nimi :** DK31C4DPPDUE

StarTech.com DK31C4DPPDUE. Yhteysteknologia: Langallinen, Isäntäkoneen käyttöliittymä: USB 3.2 Gen 2 (3.1 Gen 2) Type-C, USB Power Delivery asti: 100 W. Tuotteen väri: musta, Harmaa, Tiedonsiirtonopeus: 10 Gbit/s, Digitaalinen enimmäistarkkuus: 5120 x 2880 pikseliä. AC-syöttöjännite: 100 - 240 V, Ulostulojännite: 20 V, Lähtövirta: 8,5 A. Windows-käyttöjärjestelmätuki: Windows 10 Education x64, Windows 10 Enterprise x64, Windows 10 Home x64, Windows 10 Pro x64,...., Mac-käyttöjärjestelmätuki: Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur,...., Muu käyttöjärjestelmätuki: ChromeOS. Tuotteen leveys: 90 mm, Tuotteen syvyys: 215 mm, Tuotteen korkeus: 46 mm



Ports & interfaces		Software	
Connectivity technology *	Wired	Windows operating systems supported	Windows 10 Education x64, Windows 10 Enterprise x64, Windows 10 Home x64, Windows 10 Pro x64, Windows 10 x64, Windows 11 x64
Host interface *	USB 3.2 Gen 2 (3.1 Gen 2) Type-C	Mac operating systems supported	Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	3	Other operating systems supported	ChromeOS
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1	<b>Operational conditions</b>	
USB Power Delivery (USB PD)	✓	Operating temperature (T-T)	0 - 50 °C
USB Power Delivery up to	100 W	Storage temperature (T-T)	-20 - 70 °C
HDMI ports quantity *	4	Operating relative humidity (H-H)	0 - 95%
HDMI version	2.0	<b>Weight &amp; dimensions</b>	
DisplayPorts quantity	4	Width	90 mm
DisplayPort version	1.2	Depth	215 mm
Combo headphone/mic port	✓	Height	46 mm
Headphone connectivity	3.5 mm	Weight	330 g
DC-in jack	✓	<b>Packaging data</b>	
<b>Network</b>		Package width	145 mm
Ethernet LAN *	✓	Package depth	233 mm
Ethernet LAN (RJ-45) ports	1	Package height	100 mm
Wake-on-LAN ready	✓	Package weight	360 g
<b>Performance</b>		<b>Packaging content</b>	
Card reader integrated *	✗	Cables included	USB
Data transfer rate	10 Gbit/s	AC adapter included	✓
Maximum digital resolution	5120 x 2880 pixels	Manual	✓
Maximum refresh rate	60 Hz		
Cable lock slot	✓		
Cable lock slot type	Kensington		
Product colour *	Black, Grey		

Performance		Technical details	
LED indicators	✓	Compliance certificates	CE
Power		Logistics data	
AC input voltage	100 - 240 V	Products per master (outer) case	4 pc(s)
Output voltage	20 V	Master (outer) case width	240 mm
Output current	8.5 A	Master (outer) case length	410 mm
Compatible power plug types	EU, UK	Master (outer) case height	160 mm
		Harmonized System (HS) code	84733020
Other features			
Chipset		DisplayLink - DL6910, Realtek - RTS5423, Realtek - RTS5411/RTS5411E, Realtek - RTL8153	



0065030876278



065030876278

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.