GIGABYTE BRIX GB-BMPD-6005 musta N6005 2 GHz

Tuotemerkki : GIGABYTE Tuotekoodi: GB-BMPD-6005

Tuotteen nimi: BRIX GB-BMPD-6005

GIGABYTE BRIX GB-BMPD-6005. Tuotetyyppi: Mini PC Barebone. Tuetut muistityypit: DDR4-SDRAM, Muistipaikkojen lukumäärä: 1, Sisäinen enimmäismuisti: 16 GB. Tuetut tallennusasematyypit: HDD & SSD, Tallennuslaitteen liitäntä: Serial ATA III. Ethernet LAN (RJ-45) -portit: 1. Wi-Fi-standardit: Wi-Fi 5 (802.11ac)





Processor		Ports & interfaces	
Processor manufacturer Processor family Processor model Processor cores Processor threads Processor boost frequency Processor frequency Built-in processor *	Intel Intel® Pentium® Silver N6005 4 4 3.3 GHz 2 GHz	HDMI version DVI port Mini DisplayPorts quantity Microphone in Headphone outputs Ethernet LAN (RJ-45) ports * DC-in jack	2.0 1 1 1 1
Processor cache	4 MB	Design	
Thermal Design Power (TDP) CPU configuration (max)	10 W	Product colour * On/off switch	Black ✓
Memory		Cable lock slot	✓
Memory slots type * Number of memory slots * Maximum internal memory Supported memory clock speeds	SO-DIMM 1 16 GB 2933 MHz	Cable lock slot type VESA mounting Panel mounting interface Product type *	Kensington ✓ 75 x 75 mm Mini PC barebone
Supported memory types	DDR4-SDRAM	Processor special features	
Storage Supported storage drive types * Storage drive sizes supported * Storage drive interface	HDD & SSD 2.5" Serial ATA III	Intel Virtualization Technology for Directed I/O (VT-d) Intel VT-x with Extended Page Tables (EPT) Intel 64	* *
Graphics		Idle States	✓
On-board graphics card * Graphics card family On-board graphics card model	✓ Intel Intel® UHD Graphics	Enhanced Intel SpeedStep Technology Intel Trusted Execution Technology	×
Audio		Intel Virtualization Technology (VT-x)	✓
Built-in speaker(s) *	×	Logistics data	
		Harmonized System (HS) code	84713000

Network		Power	
Top Wi-Fi standard Wi-Fi standards Ethernet LAN * Wi-Fi *	Wi-Fi 5 (802.11ac) Wi-Fi 5 (802.11ac)	Power supply type * AC input voltage AC adapter output voltage AC adapter output current	External AC adapter 100 - 240 V 19 V 2.1 A
Bluetooth	✓	Operational conditions	
Ports & interfaces USB 3.2 Gen 1 (3.1 Gen 1) Type-A		Operating temperature (T-T) Storage temperature (T-T)	0 - 35 °C -20 - 60 °C
ports quantity *	3	Weight & dimensions	
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1	Width Depth	562.2 mm 103 mm
HDMI ports quantity *	1	Height	116.5 mm



4719331600846

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.