



DELL PowerEdge R750xs palvelin 480 GB Teline (2U) Intel® Xeon Silver 4314 2,4 GHz 32 GB DDR4-SDRAM 800 W

Tuotemerkki : DELL

Tuoteperhe: PowerEdge

Tuotekoodi: R30H2

Tuotteen nimi : R750xs



DELL PowerEdge R750xs. Suoritinperhe: Intel® Xeon Silver, Prosessorin taajuus: 2,4 GHz, Prosessorimalli: 4314. Sisäinen muisti: 32 GB, Sisäisen muistin tyyppi: DDR4-SDRAM, Muistin sijoittelu (paikat x koko): 1 x 32 GB. Kokonaistallennuskapasiteetti: 480 GB. Ethernet LAN. Virtalähde: 800 W, Vikasietoisen virtalähteen tuki (RPS). Alustatyyppi: Teline (2U)



Processor		Design	
Processor manufacturer *	Intel	Product colour	Black
Processor family *	Intel Xeon Silver	Rack rails	✓
Processor generation	3rd Generation Intel® Xeon® Scalable	Bezel	✓
Processor model *	4314	Performance	
Processor frequency *	2.4 GHz	Remote administration	iDRAC9, Enterprise 15G
Processor boost frequency	3.4 GHz	Software	
Processor cores	16	Operating system installed *	✗
Processor cache	24 MB	Compatible operating systems *	
Number of processors installed	1	Canonical Ubuntu Server LTS Citrix Hypervisor Microsoft Windows Server with Hyper-V Red Hat Enterprise Linux SUSE Linux Enterprise Server VMware ESXi	
Maximum internal memory supported by processor	512 GB	Power	
Memory		Redundant power supply (RPS) support *	✓
Internal memory *	32 GB	Power supply *	800 W
Internal memory type *	DDR4-SDRAM	Number of redundant power supplies supported	2
Buffered memory type	Registered (buffered)	Number of redundant power supplies installed	2
Memory ranking	2	Power supply input voltage	200 - 240 V
Memory slots	16x DIMM	Power cable length	2 m
Memory layout (slots x size)	1 x 32 GB	Power cable connector 1	C15 coupler
Memory data transfer rate	3200 MT/s	Power cable connector 2	C14 coupler
Maximum internal memory *	1 TB	Power cable current	10 A
Storage		Operational conditions	
Total storage capacity *	480 GB	Operating temperature (T-T)	10 - 35 °C
Number of SSDs installed	1	Storage temperature (T-T)	-40 - 65 °C
SSD capacity	480 GB		
SSD interface	SATA III		
SSD size	2.5"		
Supported SSD sizes	3.5"		
Number of SSDs supported	8		

Storage		Operational conditions	
RAID support *	✓	Storage relative humidity (H-H)	5 - 95%
Supported RAID controllers	PERC H755	Operating altitude	0 - 3048 m
Hot-Plug support	✓	Non-operating altitude	0 - 12000 m
Optical drive type *	✗	Carbon footprint	
Internal drive bays	8	Total carbon footprint (kg of CO2e)	8930
Supported storage drive interfaces	SAS, Serial ATA	Total carbon emissions, standard deviation (kg of CO2e)	4770
Drive writes per day (DWPD)	1	Carbon emissions, manufacturing (kg of CO2e)	1037
Storage drive adapter included	✓	Carbon emissions, logistics (kg of CO2e)	162
Storage drive adapter type	2.5" - 3.5"	Carbon emissions, energy usage (kg of CO2e)	7700
Graphics		Carbon emissions, end-of-life (kg of CO2e)	26
On-board graphics card	✗	Total carbon emissions, w/o use phase (kg of CO2e)	1225
Network		PAIA version	1.3.2, 2022
Ethernet LAN	✓	Weight & dimensions	
Ethernet interface type	Gigabit Ethernet	Height	86.8 mm
Ports & interfaces		Other features	
Ethernet LAN (RJ-45) ports *	2	Data transfer rate	6 Gbit/s
USB 2.0 ports quantity	2	Bytes per sector	512
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1		
Design			
Chassis type *	Rack (2U)		



5397184760604

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 27-DEC-2024. Prints or copies of Information are only valid on the printed Publication date