

Samsung QB24C Digital signage flat panel 61 cm (24") LED Wi-Fi 250 cd/m² Full HD Black Built-in processor Tizen 16/7

Brand : Samsung

Product family: QBC

Product code:
LH24QBCEBGCXEN

Product name : QB24C



23.8", ADS, FHD (1920 x 1080), 250 nit, 1000:1, 178/178, 14 ms, WiFi, Bluetooth, RJ-45, HDCP, HDMI, RS232, AC 100-240V, 50/60Hz, 547.9 x 334.4 x 31.8 mm, 3 kg
 Samsung QB24C. Product design: Digital signage flat panel. Display diagonal: 61 cm (24"), Display technology: LED, Display resolution: 1920 x 1080 pixels, Display brightness: 250 cd/m², HD type: Full HD. Wi-Fi. Operating hours (hours/days): 16/7. Operating system installed: Tizen. Product colour: Black

Display		Design	
Panel type	ADS	Bezel width (top)	1.79 cm
Display diagonal *	61 cm (24")	Bezel colour	Black
Display technology *	LED	Performance	
Display resolution *	1920 x 1080 pixels	Purpose *	Universal
Display brightness *	250 cd/m ²	Operating hours (hours/days)	16/7
HD type *	Full HD	HDCP	✓
Touchscreen *	✗	HDCP version	2.2
Response time	14 ms	Power	
Contrast ratio (typical)	1000:1	Power consumption (typical) *	38.5 W
Dynamic contrast ratio marketing name	Mega Contrast	Power consumption (sleep)	0.5 W
Viewing angle, horizontal	178°	AC input voltage	100-240 V
Viewing angle, vertical	178°	AC input frequency	50-60 Hz
Pixel pitch	0.2745 x 0.2745 mm	Computer system	
Horizontal scan range	56 - 84.5 kHz	Computer system *	✓
Vertical scan range	48 - 75 Hz	Computer system type	System on Chip (SoC)
Haze rate	25%	Built-in processor *	✓
RGB colour space	NTSC	Operating system installed	Tizen
Colour gamut	72%	Operating system version	7.0
Ports & interfaces		Weight & dimensions	
HDMI ports quantity *	1	Display width	547.9 mm
HDMI version	1.4	Display depth	31.8 mm
HDMI input ports quantity	1	Display height	334.4 mm
DVI port *	✗	Display weight	3 kg
USB port *	✓	Packaging data	
USB ports quantity	1	Package width	620 mm
Ethernet LAN *	✓	Package depth	122 mm
Ethernet LAN (RJ-45) ports	1	Package height	419 mm
Wi-Fi *	✓	Package volume	4100 cm ³
RS-232 interface	✓	Operational conditions	
Infrared data port	✓	Operating temperature (T-T)	0 - 40 °C
Remote (IR) input	1	Operating relative humidity (H-H)	10 - 80%
Design			
Product design *	Digital signage flat panel		

Design		Certificates	
Product colour *	Black	Certification	Class B
Screen shape	Flat	Technical details	
VESA mounting *	✓	Audio out (mini jack)	1
Panel mounting interface	100 x 100 mm	Other features	
Bezel width (bottom)	1.79 cm	Bluetooth	✓
Bezel width (side)	9.4 mm	Flash memory	8000 MB
		RS-232 input ports	1
		RJ-45 input ports	1



8806095204994

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 22-DEC-2024. Prints or copies of Information are only valid on the printed Publication date