

DELL UltraSharp U2724DE tietokoneen litteä näyttö 68,6 cm (27") 2560 x 1440 pikseliä Quad HD LCD musta, Hopea

Tuotemerkki : DELL

Tuoteperhe: UltraSharp

Tuotekoodi: DELL-U2724DE

Tuotteen nimi : U2724DE

DELL UltraSharp U2724DE. Näytön halkaisija: 68,6 cm (27"), Näytön erottelutarkkuus: 2560 x 1440 pikseliä, HD-tyyppi: Quad HD, Näytön teknologia: LCD, Vasteaika (tyypillinen): 8 ms, Vakiokuvasuhde: 16:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäänrakennettu USB-keskus. VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: musta, Hopea





| Display | | Ergonomics | |
|--|--|--|--------------------------|
| Display diagonal * | 68.6 cm (27") | Cable lock slot * | 1 |
| Display resolution * | 2560 x 1440 pixels | Cable lock slot type | Kensington |
| HD type * | Quad HD | Height adjustment * | 1 |
| Native aspect ratio * | 16:9 | Height adjustment | 15 cm |
| Display technology * | LCD | Pivot | 1 |
| Panel type * | IPS | Pivot angle | -90 - 90° |
| Backlight type | Edge LED | Swivelling | 1 |
| Touchscreen * | × | Swivel angle range | -45 - 45° |
| Display brightness (typical) | 350 cd/m ² | Tilt adjustment | ✓ |
| Response time * | 8 ms | Tilt angle range | - -5 - 21° |
| Anti-glare screen | ✓ | On Screen Display (OSD) | ✓ [−] |
| Screen shape * | Flat | Plug and Play | · |
| | 640 x 480 (VGA), 720 x 400, 800 x | Plug and Play | <i>.</i> |
| | 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 | Power | |
| Supported graphics resolutions | (SXGA), 1280 x 720 (HD 720), 1600 | Energy efficiency class (SDR) * | F |
| | x 1200 (UXGA), 1600 x 900, 1920 x 1080 (HD 1080), 2048 x 1080, 2560 | Energy efficiency class (HDR) * | Not available |
| | x 1440 | Energy consumption (SDR) per 1000 | 24 kWh |
| Supported video modes | 480p, 576p, 720p, 1080i, 1080p | hours * | 24.4.14 |
| Contrast ratio (typical) * | 2000:1 | Power consumption (typical) * | 24.4 W 0.5 W |
| Maximum refresh rate * | 120 Hz | Power consumption (standby) * | 0.5 W 225 W |
| Viewing angle, horizontal | 178° | Power consumption (max) Power consumption (off) | 225 W 0.3 W |
| Viewing angle, vertical | 178° | AC input voltage | 100 - 240 V |
| Display number of colours * | 1.07 billion colours | AC input frequency | 50/60 Hz |
| Response time (fast) | 5 ms | Input current | 2.65 A |
| Pixel pitch | 0.2331 x 0.2331 mm | Power supply type | Internal |
| Pixel density | 108.97 ppi | European Product Registry for | |
| Viewable size, horizontal | 59.7 cm | Energy Labelling (EPREL) code | 1591641 |
| Viewable size, vertical | 33.6 cm | Operational conditions | |
| | | | |
| Digital horizontal frequency | 30 - 178 kHz | • | 0 |
| Digital horizontal frequency Digital vertical frequency | 30 - 178 kHz 48 - 120 Hz | Operating temperature (T-T) Storage temperature (T-T) | 0 - 40 °C -20 - 60 °C |

| Display | | Operational conditions | |
|---|--|--|-----------------------------------|
| Display diagonal (metric) | 68.47 cm | Operating relative humidity (H-H) | 10 - 80% |
| High Dynamic Range (HDR) | × | Storage relative humidity (H-H) | 5 - 90% |
| supported | | Operating altitude | 0 - 5000 m |
| Surface hardness | 3H 8 bit | Non-operating altitude | 5000 - 12192 m |
| Colour depth Colour gamut standard | DCI-P3 | Weight & dimensions | |
| Colour gamut | 98% | Width (with stand) | 612.2 mm |
| sRGB coverage (typical) | 100% | Depth (with stand) | 192.3 mm |
| Performance | | Height (with stand) | 535.6 mm |
| NVIDIA G-SYNC * | × | Weight (with stand) | 6.98 kg |
| | | Width (without stand) | 612.2 mm |
| AMD FreeSync * | × | Depth (without stand) Height (without stand) | 50.1 mm 352.5 mm |
| Flicker-free technology | V | Weight (without stand) | 5.23 kg |
| Low Blue Light technology | ✓ | Bezel width (side) | 7.75 mm |
| Multimedia | | Bezel width (top) | 7.75 mm |
| Built-in speaker(s) * | × | Bezel width (bottom) | 9.1 mm |
| Built-in camera * | × | Packaging data | |
| Design | | Package weight | 10.2 kg |
| Market positioning * | Business | Packaging content | |
| Product colour * | Black, Silver | Stand included | 1 |
| Front bezel colour | Black | | AC, DisplayPort, Thunderbolt, USB |
| Feet colour | Silver | Cables included | Type-A to USB Type-C |
| Ports & interfaces | | Power adapter included | ✓ |
| Built-in USB hub * | 1 | Remote control included | × |
| USB upstream port type | USB Type-C | Stylus included | × |
| Number of upstream ports | 1 | Quick start guide | 1 |
| Number of USB Type-C upstream ports quantity | 1 | Sustainability | |
| USB Type-A downstream ports quantity | 4 | Sustainability compliance | |
| USB Type-C downstream ports | 1 | Sustainability certificates Doesn't contain | ENERGY STAR, TCO PVC/BFR |
| quantity | 1 | Carbon footprint | |
| USB Type-C DisplayPort Alternate Mode | 1 | Total carbon footprint (kg of CO2e) | 640 |
| USB Power Delivery (USB PD) | 1 | Total carbon emissions, standard | 649 |
| USB Power Delivery up to | 90 W | deviation (kg of CO2e) | 152 |
| HDMI * | ✓ | Carbon emissions, manufacturing | 412 |
| HDMI ports quantity | 1 | (kg of CO2e) Carbon emissions, logistics (kg of | |
| HDMI version | 2.1 | Corbon emissions, logistics (kg of CO2e) | 49 |
| DisplayPorts quantity | 2 | Carbon emissions, energy usage (kg | 182 |
| DisplayPort version Thunderbolt 4 ports quantity | 1.4 2 | of CO2e) Carbon emissions, end-of-life (kg of | |
| Headphone out * | 2 | Corbon emissions, end-of-life (kg of CO2e) | 6 |
| Microphone in | × | Total carbon emissions, w/o use | 467 |
| PC Audio in | × | phase (kg of CO2e) PAIA version | 1.3.2 |
| HDCP | ✓ ✓ | Other features | |
| HDCP version | 1.4 | | 1 |
| AC (power) in | ✓ | RJ-45 ports quantity Compliance certificates | I RoHS |
| Network | | p | - |
| Wi-Fi | × | | |
| Ethernet LAN | ✓ () | | |
| Ergonomics | | | |
| VESA mounting * | Image: A second s | | |
| Panel mounting interface | 100 x 100 mm | | |
| Cable management | 1 | | |
| | | | |



5397184821480

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.