



## DELL UltraSharp U2424H tietokoneen litteä näyttö 60,5 cm (23.8") 1920 x 1080 pikseliä Full HD LCD musta, Hopea

**Tuotemerkki :** DELL

**Tuoteperhe:** UltraSharp

**Tuotekoodi:** DELL-U2424H

**Tuotteen nimi :** U2424H

DELL UltraSharp U2424H. Näytön halkaisija: 60,5 cm (23.8"), Näytön erottelutarkkuus: 1920 x 1080 pikseliä, HD-tyyppi: Full HD, Näytön teknologia: LCD, Vasteaika (tyypillinen): 8 ms, Vakiokuvausuhde: 16:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäänrakennettu USB-keskus, USB-keskuksen versio: 3.2 Gen 2 (3.1 Gen 2). VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: musta, Hopea



Display		Network	
Display diagonal *	60.5 cm (23.8")	Wi-Fi	✗
Display resolution *	1920 x 1080 pixels	<b>Ergonomics</b>	
HD type *	Full HD	VESA mounting *	✓
Native aspect ratio *	16:9	Panel mounting interface	100 x 100 mm
Display technology *	LCD	Cable lock slot *	✓
Panel type *	IPS	Cable lock slot type	Kensington
Backlight type	Edge LED	Height adjustment *	✓
Touchscreen *	✗	Height adjustment	15 cm
Display brightness (typical)	250 cd/m <sup>2</sup>	Pivot	✓
Response time *	8 ms	Pivot angle	-90 - 90°
Anti-glare screen	✓	Swivelling	✓
Screen shape *	Flat	Swivel angle range	-45 - 45°
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 720 x 480, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 900, 1920 x 1080 (HD 1080)	Tilt adjustment	✓
Supported video modes	480p, 576p, 720p, 1080i, 1080p	Tilt angle range	-5 - 21°
Contrast ratio (typical) *	1000:1	On Screen Display (OSD)	✓
Maximum refresh rate *	120 Hz	<b>Power</b>	
Viewing angle, horizontal	178°	Energy efficiency class (SDR) *	F
Viewing angle, vertical	178°	Energy efficiency class (HDR) *	Not available
Display number of colours *	16.7 million colours	Energy consumption (SDR) per 1000 hours *	24 kWh
Response time (fast)	5 ms	Power consumption (typical) *	13.7 W
Pixel pitch	0.2745 x 0.2745 mm	Power consumption (standby) *	0.5 W
Pixel density	92.53 ppi	Power consumption (max)	72 W
Horizontal scan range	31 - 135 kHz	Power consumption (off)	0.3 W
Vertical scan range	48 - 120 Hz	AC input voltage	100 - 240 V
Viewable size, horizontal	52.7 cm	AC input frequency	50/60 Hz
Viewable size, vertical	29.6 cm	Input current	1.5 A
Viewable size diagonal	60.5 cm	Power supply type	Internal
Display diagonal (metric)	60.47 cm	Energy efficiency scale	A to G
		European Product Registry for Energy Labelling (EPREL) code	1591641

<b>Display</b>		<b>Operational conditions</b>	
High Dynamic Range (HDR) supported	✘	Operating temperature (T-T)	0 - 40 °C
Surface hardness	3H	Storage temperature (T-T)	-20 - 60 °C
Colour gamut standard	DCI-P3	Operating relative humidity (H-H)	10 - 80%
Colour gamut	85%	Storage relative humidity (H-H)	5 - 90%
sRGB coverage (typical)	100%	Operating altitude	0 - 5000 m
		Non-operating altitude	5000 - 12192 m
<b>Performance</b>		<b>Weight &amp; dimensions</b>	
NVIDIA G-SYNC *	✘	Width (with stand)	538.6 mm
AMD FreeSync *	✘	Depth (with stand)	181.8 mm
Flicker-free technology	✔	Height (with stand)	496.5 mm
Low Blue Light technology	✔	Weight (with stand)	5.09 kg
		Width (without stand)	538.6 mm
		Depth (without stand)	49.1 mm
		Height (without stand)	311.2 mm
		Weight (without stand)	3.52 kg
		Bezel width (side)	5.8 mm
		Bezel width (top)	5.8 mm
		Bezel width (bottom)	8.95 mm
<b>Multimedia</b>		<b>Packaging data</b>	
Built-in speaker(s) *	✘	Package weight	7.92 kg
Built-in camera *	✘		
<b>Design</b>		<b>Packaging content</b>	
Market positioning *	Business	Stand included	✔
Product colour *	Black, Silver	Cables included	AC, DisplayPort, USB Type-A to USB Type-C
Front bezel colour	Black	Power adapter included	✔
Feet colour	Silver	Remote control included	✘
		Stylus included	✘
		Quick start guide	✔
		DisplayPort cable length	1.8 m
<b>Ports &amp; interfaces</b>		<b>Sustainability</b>	
Built-in USB hub *	✔	Sustainability compliance	✔
USB hub version	3.2 Gen 2 (3.1 Gen 2)	Sustainability certificates	ENERGY STAR, TCO
USB upstream port type	USB Type-C	Doesn't contain	PVC/BFR
Number of USB Type-C upstream ports quantity	1		
USB Type-A downstream ports quantity	3	<b>Other features</b>	
USB Type-C downstream ports quantity	1	Heavy metals free	Hg (mercury)
HDMI *	✔	Compliance certificates	RoHS
HDMI ports quantity	1		
HDMI version	1.4		
DisplayPorts quantity	2		
DisplayPort version	1.4		
Headphone out *	✔		
Microphone in	✘		
PC Audio in	✘		
HDCP	✔		
HDCP version	1.4		
AC (power) in	✔		



5397184821381

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 22-DEC-2024. Prints or copies of Information are only valid on the printed Publication date