/isus

## ASUS ProArt PA27DCE-K computer monitor 68.3 cm (26.9") 3840 x 2160 pixels 4K Ultra HD OLED Black

Brand : ASUS

Product family: ProArt

Product code: 90LM0810-B01I70

Product name : PA27DCE-K

- 26.9-inch 4K (3840 x 2160) HDR OLED panel with RGB stripes and 99% DCI-P3 color gamut

- True 10-bit color depth and 1,000,000:1 contrast ratio provides the deep blacks and accurate highlights

- Support multiple HDR formats (HDR-10, HLG) presents lifelike experience and flexibility

- World-leading  $\Delta E < 1$  color performance and ASUS ProArt Hardware Calibration Technology for color-accuracy optimization, uniformity and color profile write-back

- USB-C supports DisplayPort signal, data transfers and up to 80W Power Delivery to external devices via one cable

- X-rite i1 Display Pro included

26.9" OLED 4K 3840 x 2160, HDR, USB-C, DisplayPort, HDMI, 32W, 100-240V, 50/60Hz, VESA





Display		Ports & interfaces	
Display diagonal *	68.3 cm (26.9")	HDMI *	<ul> <li>Image: A set of the set of the</li></ul>
Display resolution *	3840 x 2160 pixels	HDMI ports quantity	3
HD type *	4K Ultra HD	HDMI version	2.0
Native aspect ratio *	16:9	DisplayPorts quantity	1
Display technology *	OLED	DisplayPort version	1.4
Touchscreen *	×	Headphone out *	1
Display brightness (peak)	350 cd/m <sup>2</sup>	Headphone outputs	1
Display brightness (typical)	200 cd/m <sup>2</sup>	Headphone connectivity	3.5 mm
Response time *	0.1 ms	HDCP	<ul> <li>Image: A set of the set of the</li></ul>
Screen shape *	Flat	HDCP version	2.2
Contrast ratio (typical) *	1000000:1	Francisco	
Contrast ratio (dynamic)	10000000:1	Ergonomics	
Maximum refresh rate *	60 Hz	VESA mounting *	J
Viewing angle, horizontal	178°	Panel mounting interface	100 x 100 mm
Viewing angle, vertical	178°	Wall mountable	<ul> <li>Image: A set of the set of the</li></ul>
Display number of colours *	1.073 billion colours	Cable lock slot *	1
Pixel pitch	0.155 x 0.155 mm	Cable lock slot type	Kensington
Viewable size, horizontal	59.6 cm	Height adjustment *	<ul> <li>Image: A start of the start of</li></ul>
Viewable size, vertical	33.5 cm	Height adjustment	13 cm
Display diagonal (metric)	68 cm	Pivot	<ul> <li>✓</li> </ul>
High Dynamic Range (HDR) supported	1	Pivot angle	9090°
High Dynamic Range (HDR)	High Dynamic Range 10 (HDR10),	Swivelling	1
technology	Hybrid Log-Gamma (HLG)	Swivel angle range	3030°
Colour gamut standard	DCI-P3	Tilt adjustment	1
Colour gamut	99%	Tilt angle range	235°
sRGB coverage (typical)	100%	Power	
Performance			
NVIDIA G-SYNC *	×	Energy efficiency class (SDR) *	G
	0		

Performance		Power	
AMD FreeSync *	×	Energy consumption (SDR) per 1000 hours *	<sup>0</sup> 29 kWh
Flicker-free technology	1	Power consumption (typical) *	32 W
Low Blue Light technology	✓	Power consumption (PowerSave)	0.5 W
Multimedia		AC input voltage	100 - 240 V
Number of speakers	2	AC input frequency	50/60 Hz
RMS rated power	6 W	Energy efficiency scale	A to G
Built-in speaker(s) *	✓	European Product Registry for Energy Labelling (EPREL) code	1497468
Built-in camera *	×	Weight & dimensions	
Design		Width (with stand)	626.7 mm
Market positioning *	Graphics design	Depth (with stand)	265 mm
Product colour *	Black	Height (with stand)	569.6 mm
Feet colour	Black	Weight (with stand)	9.4 kg
Ports & interfaces		Width (without stand)	626.7 mm
Built-in USB hub *	1	Depth (without stand)	66.9 mm
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Height (without stand)	376.2 mm
USB upstream port type	USB Type-C	Weight (without stand)	5.9 kg
Number of upstream ports	1	Packaging data	
Number of USB Type-C upstream	1	Package width	855 mm
ports quantity		Package depth	295 mm
USB Type-A downstream ports quantity	2	Package height	595 mm
USB Type-C downstream ports quantity	1	Package weight Package type	15 kg Box
USB Type-C DisplayPort Alternate	1	Packaging content	
Mode		Stand included	1
USB Power Delivery (USB PD)	₹ 00.14/	Sustainability	
USB Power Delivery up to	80 W	-	_
		Sustainability compliance	✓

Sustainability certificates

ENERGY STAR





195553905411

0195553905411



4711081905400

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.