

## StarTech.com ST121HD20FXA2 AV-signaalin jatkaja AV-lähetin ja -vastaanotin musta

**Tuotemerkki :** StarTech.com

**Tuotekoodi:** ST121HD20FXA2

**Tuotteen nimi :** ST121HD20FXA2

StarTech.com ST121HD20FXA2. Malli: AV-lähetin ja -vastaanotin, Enimmäiserottelutarkkuus: 4096 x 2160 pikseliä, Suurin siirtoetäisyys: 1000 m. Yhteysteknologia: Langallinen, Valokuituliitin: LC, USB-liitin: Micro-USB B. AC-syöttöjännite: 100 - 240 V, Käyttöjännite: 5 V, Syöttöjännite: 0.35 A. Tuotteen leveys: 68 mm, Tuotteen syvyys: 134 mm, Tuotteen korkeus: 18 mm. Pakkauksen leveys: 200 mm, Pakkauksen syvyys: 300 mm, Pakkauksen korkeus: 60 mm



Features		Ports & interfaces	
Type *	AV transmitter & receiver	Line outputs (RCA)	1
Maximum resolution *	4096 x 2160 pixels	Line-in	✓
Maximum transfer distance	1000 m	DC-in jack	✓
Chipset	SiFotonics SD1503/SD1513	<b>Power</b>	
High Dynamic Range (HDR) supported	✓	AC input voltage	100 - 240 V
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)	Operating voltage	5 V
Maximum refresh rate	60 Hz	Input current	0.35 A
Fiber mode structure	Multi-mode, Single-mode	Output current	1 A
Extended display identification data (EDID)	✓	Power plug type	Type M
Audio output channels	7.1 channels	<b>Operational conditions</b>	
Electrostatic Discharge (ESD) protection	✓	Operating temperature (T-T)	0 - 40 °C
Electrostatic Discharge (ESD) protection	8 kV	Storage temperature (T-T)	-20 - 60 °C
Infrared (IR) frequency range	20 - 60 kHz	Operating relative humidity (H-H)	20 - 90%
LED indicators	Activity, Power	<b>Weight &amp; dimensions</b>	
Bandwidth	18 Gbit/s	Width	68 mm
HDCP	✓	Depth	134 mm
Baud rate	115.2 Kbit/s	Height	18 mm
HDCP version	2.2	Weight	280 g
Product colour	Black	<b>Packaging data</b>	
<b>Ports &amp; interfaces</b>		Package width	200 mm
Connectivity technology *	Wired	Package depth	300 mm
HDMI in	1	Package height	60 mm
Number of HDMI outputs	2	Package weight	1 kg
HDMI version	2.1	<b>Packaging content</b>	
Fiber optic connector	LC	AC adapter included	✓
		Quick start guide	✓

Ports & interfaces		Packaging content	
Fiber ports quantity	2	IR blaster included	✓
USB ports quantity	2	IR receiver included	✓
USB connector type	Micro-USB B	<b>Technical details</b>	
Serial ports quantity	2	Sustainability compliance	✓
Serial interface type	RS-232	Compliance certificates	CE, RoHS
Remote (IR) input	2	<b>Logistics data</b>	
Remote (IR) output	2	Master (outer) case width	325 mm
		Master (outer) case length	530 mm
		Master (outer) case height	402 mm
		Products per master (outer) case	20 pc(s)



0065030897303



065030897303

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.