SAMSUNG

Samsung QB24C-T Digitaalinen litteä infotaulu 61 cm (24") LED Wi-Fi 250 cd/m² Full HD musta Kosketusnäyttö Sisäänrakennettu prosessori Tizen 7.0 16/7

Tuotemerkki : Samsung   **Tuoteperhe:** QBC-T   **Tuotekoodi:**
LH24QBCTBGCXEN

Tuotteen nimi : QB24C-T

Samsung QB24C-T. Tuotteen muotoilu: Digitaalinen litteä infotaulu. Näytön halkaisija: 61 cm (24"), Näytön teknologia: LED, Näytön erottelutarkkuus: 1920 x 1080 pikseliä, Näytön kirkkaus: 250 cd/m², HD-tyyppi: Full HD, Kosketusnäyttö. Wi-Fi. Toiminta-aika (tunteja/päiviä): 16/7. Käyttöjärjestelmä asennettu: Tizen 7.0. Tuotteen väri: musta

Display

Panel type	ADS
Display diagonal *	61 cm (24")
Display technology *	LED
Display resolution *	1920 x 1080 pixels
Display brightness *	250 cd/m²
HD type *	Full HD
Touchscreen *	✔
Touchscreen technology	Capacitive
Multi-touch	✔
Response time	14 ms
Contrast ratio (typical)	1000:1
Dynamic contrast ratio marketing name	Mega Contrast
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.2745 x 0.2745 mm
Horizontal scan range	56 - 84.5 kHz
Vertical scan range	48 - 75 Hz
Haze rate	25%
RGB colour space	NTSC
Colour gamut	72%

Ports & interfaces

HDMI ports quantity *	1
HDMI version	1.4
HDMI input ports quantity	1
DVI port *	✗
USB port *	✔
USB ports quantity	1
Ethernet LAN *	✔
Ethernet LAN (RJ-45) ports	1
Wi-Fi *	✔
RS-232 interface	✔
Infrared data port	✔
Remote (IR) input	1

Performance

Purpose *	Universal
Operating hours (hours/days)	16/7
HDCP	✔
HDCP version	2.2

Power

Power consumption (typical) *	38.5 W
Power consumption (sleep)	0.5 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz

Computer system

Computer system *	✔
Computer system type	System on Chip (SoC)
Built-in processor *	✔
Operating system installed	Tizen 7.0

Weight & dimensions

Display width	547.9 mm
Display depth	34.6 mm
Display height	334.4 mm
Display weight	4 kg

Packaging data

Package width	620 mm
Package depth	122 mm
Package height	419 mm
Package volume	5200 cm³

Packaging content

Cables included	Power

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	10 - 80%

Technical details

Audio out (mini jack)	1
Sustainability compliance	✔

Design

Product design *	Digital signage flat panel
Placement supported *	Indoor
Product colour *	Black
Screen shape	Flat
VESA mounting *	✔
Panel mounting interface	100 x 100 mm

Technical details

Sustainability certificates	EPEAT Bronze
Compliance certificates	CE, China Compulsory Certification (CCC), Electromagnetic Compatibility (EMC), Federal Communications Commission (FCC), KCC, RoHS, VCCI

Other features

Bluetooth	✔
Flash memory	8000 MB
RS-232 input ports	1
RJ-45 input ports	1

8806095303710