

DELL P2424HEB 60.5 cm (23.8") LCD 1920 x 1080 pixels Full HD

Brand : DELL Product code: DELL-P2424HEB

Product name: P2424HEB

- 60.5cm (23.8") Full HD 1920 x 1080 LED IPS

- 8ms, 16:9, 250cd/m², 1000:1

- USB, HDMI, DisplayPort

60.5cm (23.8") Full HD 1920 x 1080 LED IPS, 16:9, 250cd/m², 16.78M, 8ms, 178°/178°, 1000:1

DELL P2424HEB 60.5 cm (23.8") LCD 1920 x 1080 pixels Full HD:

Connect like you're there with a 23.8-inch FHD IPS display built for effortless collaboration. DELL P2424HEB. Display diagonal: 60.5 cm (23.8"), Display technology: LCD, Display resolution: $1920 \times 1080 \text{ pixels}$. Megapixel (approx.): 4 MP, Maximum frame rate: 60 fps. RMS rated power: 10 W. Product colour: Black, Screen shape: Flat, Panel mounting interface: $100 \times 100 \text{ mm}$. USB version: 3.2 Gen 1 (3.1 Gen 1), USB Power Delivery up to: 90 W





| | Ports & interfaces | |
|-----------------------|---|--|
| 60.5 cm (23.8") | USB Type-C downstream ports quantity | 1 |
| | Microphone in | ✓ |
| | USB port * | ✓ |
| 1920 x 1080 pixels | USB Type-C DisplayPort Alternate | ✓ |
| · | | ✓ |
| | | 90 W |
| × | 7 1 | 90 W |
| | Computer system | |
| | Computer system * | × |
| 1000:1 178° | Windows operating systems supported | Windows 10, Windows 11 |
| 178° | Mac operating systems supported | MacOS |
| 16.78 million colours | Performance | |
| | On Screen Display (OSD) | 1 |
| 3H | HDCP | ✓ |
| 311 | | |
| 1 | HDCP version | 1.4 |
| ✓ | | 1.4 |
| ✓ | Power | |
| ✓ ✓ | Power Power consumption (typical) | 15.5 W |
| | Power Power consumption (typical) Power consumption (max) | 15.5 W 195 W |
| · | Power Power consumption (typical) Power consumption (max) Power consumption (standby) | 15.5 W 195 W 0.3 W |
| ✓ 4 MP | Power Power consumption (typical) Power consumption (max) | 15.5 W 195 W |
| ✓ 4 MP | Power Power consumption (typical) Power consumption (max) Power consumption (standby) AC input voltage | 15.5 W 195 W 0.3 W 100 - 240 V |
| ✓ 4 MP 60 fps | Power Power consumption (typical) Power consumption (max) Power consumption (standby) AC input voltage AC input frequency | 15.5 W 195 W 0.3 W 100 - 240 V 50/60 Hz |
| ✓ 4 MP 60 fps | Power Power consumption (typical) Power consumption (max) Power consumption (standby) AC input voltage AC input frequency Energy efficiency scale | 15.5 W 195 W 0.3 W 100 - 240 V 50/60 Hz A to G |
| | LCD IPS 1920 x 1080 pixels 250 cd/m² Full HD X 16:9 8 ms 1000:1 178° 16.78 million colours 0.2745 x 0.2745 mm 60.47 cm | quantity Microphone in USB port * 1920 x 1080 pixels USB Type-C DisplayPort Alternate Mode USB Power Delivery (USB PD) USB Power Delivery up to Computer system 8 ms Computer system * 1000:1 Windows operating systems supported Mac operating systems supported Mac operating systems supported Mac operating systems supported Mac operating systems supported Mac operating systems supported Mac operating systems supported Mac operating systems supported Mac operating systems supported Mac operating systems supported Mac operating systems supported Mac operating systems supported Mac operating systems supported Mac operating systems supported Mac operating systems supported Mac operating systems supported Mac operating systems supported Display (OSD) |

| Design | | Operational conditions | |
|---|--|--|---|
| Product colour * Black Screen shape Flat VESA mounting * Panel mounting interface 100 x 100 mm Bezel width (bottom) 1.72 cm | Flat ✓ | Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) | 0 - 40 °C -20 - 60 °C 10 - 80% 5 - 90% |
| | ezel width (side) ezel width (top) 3.63 cm eight adjustment eight adjustment vot vot vot vot angle vivelling 5.5 mm 3.63 cm | Weight & dimensions | |
| Bezel width (side) Bezel width (top) Height adjustment Height adjustment Pivot Pivot angle Swivelling Swivel angle range | | Display width Display depth Display height Display weight Width (with stand) Depth (with stand) Height (with stand) Weight (with stand) | 538 mm 60.5 mm 374.6 mm 4.44 kg 538 mm 185 mm 401.6 mm 6.08 kg |
| Tilt angle range | -5 - 21° | Packaging data | |
| Ports & interfaces | | Package weight | 8.43 kg |
| HDMI ports quantity * HDMI version DVI port * DisplayPorts quantity USB ports quantity USB version USB 2.0 Type-B ports quantity USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity Number of USB Type-B upstream ports quantity Number of USB Type-C upstream ports quantity USB Type-A downstream ports | 3 | Packaging content Stand included Remote control included Stylus pen Power adapter included Cables included Sustainability Sustainability compliance Sustainability certificates Network Ethernet LAN * Ethernet LAN (RI-45) ports | X X AC, DisplayPort, USB Type-A to USB Type-B, USB Type-C ENERGY STAR, TCO |
| USB Type-A downstream ports quantity | | Ethernet LAN (RJ-45) ports Wi-Fi * | 1 × |
| | | Technical details | |
| | | Compliance certificates | RoHS |





5397184657041

0884116441441



884116441441

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.