



## DELL P2424HEB 60.5 cm (23.8") LCD 1920 x 1080 pixels Full HD

Brand : DELL

Product code: DELL-P2424HEB

Product name : P2424HEB

- 60.5cm (23.8") Full HD 1920 x 1080 LED IPS
  - 8ms, 16:9, 250cd/m<sup>2</sup>, 1000:1
  - USB, HDMI, DisplayPort
- 60.5cm (23.8") Full HD 1920 x 1080 LED IPS, 16:9, 250cd/m<sup>2</sup>, 16.78M, 8ms, 178°/178°, 1000:1

DELL P2424HEB 60.5 cm (23.8") LCD 1920 x 1080 pixels Full HD:

Connect like you're there with a 23.8-inch FHD IPS display built for effortless collaboration. DELL P2424HEB. Display diagonal: 60.5 cm (23.8"), Display technology: LCD, Display resolution: 1920 x 1080 pixels. Megapixel (approx.): 4 MP, Maximum frame rate: 60 fps. RMS rated power: 10 W. Product colour: Black, Screen shape: Flat, Panel mounting interface: 100 x 100 mm. USB version: 3.2 Gen 1 (3.1 Gen 1), USB Power Delivery up to: 90 W




| Display                     |                       | Ports & interfaces                        |                        |
|-----------------------------|-----------------------|---|------------------------|
| Display diagonal *          | 60.5 cm (23.8")       | USB Type-C downstream ports quantity      | 1                      |
| Display technology *        | LCD                   | Microphone in                             | ✓                      |
| Panel type                  | IPS                   | USB port *                                | ✓                      |
| LED backlight               | ✓                     | USB Type-C DisplayPort Alternate Mode     | ✓                      |
| Display resolution *        | 1920 x 1080 pixels    | USB Power Delivery (USB PD)               | ✓                      |
| Display brightness          | 250 cd/m <sup>2</sup> | USB Power Delivery up to                  | 90 W                   |
| HD type *                   | Full HD               |   |                        |
| Touchscreen *               | ✗                     | Computer system                           |                        |
| Native aspect ratio *       | 16:9                  | Computer system *                         | ✗                      |
| Response time               | 8 ms                  | Windows operating systems supported       | Windows 10, Windows 11 |
| Contrast ratio (typical)    | 1000:1                | Mac operating systems supported           | MacOS                  |
| Viewing angle, horizontal   | 178°                  | Performance                               |                        |
| Viewing angle, vertical     | 178°                  | On Screen Display (OSD)                   | ✓                      |
| Display number of colours   | 16.78 million colours | HDCP                                      | ✓                      |
| Pixel pitch                 | 0.2745 x 0.2745 mm    | HDCP version                              | 1.4                    |
| Display diagonal (metric)   | 60.47 cm              | Power                                     |                        |
| Surface hardness            | 3H                    | Power consumption (typical)               | 15.5 W                 |
| Anti-glare screen           | ✓                     | Power consumption (max)                   | 195 W                  |
| Camera                      |                       | Power consumption (standby)               | 0.3 W                  |
| Built-in camera             | ✓                     | AC input voltage                          | 100 - 240 V            |
| Megapixel (approx.)         | 4 MP                  | AC input frequency                        | 50/60 Hz               |
| Maximum frame rate          | 60 fps                | Energy efficiency scale                   | A to G                 |
| Audio                       |                       | Energy efficiency class (SDR) *           | E                      |
| Built-in speaker(s)         | ✓                     | Energy consumption (SDR) per 1000 hours * | 16 kWh                 |
| Number of built-in speakers | 2                     | Power supply type                         | Internal               |
| RMS rated power             | 10 W                  |   |                        |
| Design                      |                       |   |                        |
| Product colour *            | Black                 |   |                        |

| Design  |                       | Operational conditions            |   |
|---|-----------------------|-----------------------------------|---|
| Screen shape                                    | Flat                  | Operating temperature (T-T)       | 0 - 40 °C   |
| VESA mounting *                                 | ✓                     | Storage temperature (T-T)         | -20 - 60 °C   |
| Panel mounting interface                        | 100 x 100 mm          | Operating relative humidity (H-H) | 10 - 80%  |
| Bezel width (bottom)                            | 1.72 cm               | Storage relative humidity (H-H)   | 5 - 90%   |
| Bezel width (side)                              | 5.5 mm                | Weight & dimensions               |   |
| Bezel width (top)                               | 3.63 cm               | Display width                     | 538 mm  |
| Height adjustment                               | ✓                     | Display depth                     | 60.5 mm   |
| Height adjustment                               | 15 cm                 | Display height                    | 374.6 mm  |
| Pivot   | ✓                     | Display weight                    | 4.44 kg   |
| Pivot angle                                     | -90 - 90°             | Width (with stand)                | 538 mm  |
| Swivelling                                      | ✓                     | Depth (with stand)                | 185 mm  |
| Swivel angle range                              | -45 - 45°             | Height (with stand)               | 401.6 mm  |
| Tilt angle range                                | -5 - 21°              | Weight (with stand)               | 6.08 kg   |
| Ports & interfaces                              |                       | Packaging data                    |   |
| HDMI ports quantity *                           | 1                     | Package weight                    | 8.43 kg   |
| HDMI version                                    | 1.4                   | Packaging content                 |   |
| DVI port *                                      | ✗                     | Stand included                    | ✓   |
| DisplayPorts quantity                           | 1                     | Remote control included           | ✗   |
| USB ports quantity                              | 6                     | Stylus pen                        | ✗   |
| USB version                                     | 3.2 Gen 1 (3.1 Gen 1) | Power adapter included            | ✓   |
| USB 2.0 Type-B ports quantity                   | 1                     | Cables included                   | AC, DisplayPort, USB Type-A to USB Type-B, USB Type-C |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity | 3                     | Sustainability                    |   |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity | 2                     | Sustainability compliance         | ✓   |
| Number of USB Type-B upstream ports quantity    | 1                     | Sustainability certificates       | ENERGY STAR, TCO                                      |
| Number of USB Type-C upstream ports quantity    | 1                     | Network                           |   |
| USB Type-A downstream ports quantity            | 3                     | Ethernet LAN *                    | ✓   |
|   |                       | Ethernet LAN (RJ-45) ports        | 1   |
|   |                       | Wi-Fi *                           | ✗   |
|   |                       | Technical details                 |   |
|   |                       | Compliance certificates           | RoHS  |



5397184657041



0884116441441



884116441441

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.