LG

LG 50UL3J-M infonäyttö Digitaalinen litteä infotaulu 127 cm (50") LCD Wi-Fi 400 cd/m² 4K Ultra HD Sininen WebOS 16/7

Tuotemerkki : LG

Tuotekoodi: 50UL3J-M

Tuotteen nimi : 50UL3J-M

LG 50UL3J-M. Tuotteen muotoilu: Digitaalinen litteä infotaulu. Näytön halkaisija: 127 cm (50"), Näytön teknologia: LCD, Näytön erottelutarkkuus: 3840 x 2160 pikseliä, Näytön kirkkaus: 400 cd/m², HD-tyyppi: 4K Ultra HD. Wi-Fi. Toiminta-aika (tunteja/päiviä): 16/7. Käyttöjärjestelmä asennettu: WebOS. Tuotteen väri: Sininen

Display

Panel type	ADS
LED backlight	✔
LED backlighting type	Direct-LED
Display diagonal *	127 cm (50")
Display technology *	LCD
Display resolution *	3840 x 2160 pixels
Display brightness *	400 cd/m²
HD type *	4K Ultra HD
Touchscreen *	✘
Native aspect ratio	16:9
Response time	6 ms
Contrast ratio (typical)	5000:1
Contrast ratio (dynamic)	1000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours	1.07 billion colours
Panel life	30000 h
Native refresh rate	60 Hz
Haze rate	2%

Ports & interfaces

HDMI ports quantity *	3
HDMI input ports quantity	3
DVI port *	✘
USB port *	✔
USB ports quantity	2
USB version	2.0
Ethernet LAN *	✔
Ethernet LAN (RJ-45) ports	1
Wi-Fi *	✔
Number of speaker outputs	1
RS-232C	✔

Audio

Built-in speaker(s) *	✔

Performance

On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Czech, Danish, German, Dutch, English, Spanish, Finnish, French, Greek, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Russian, Swedish, Turkish
Operating hours (hours/days)	16/7
HDCP	✔
HDCP version	1.4/2.2

Power

Power consumption (typical) *	90 W
Power consumption (standby) *	0.5 W
Power consumption (max)	130 W
Energy efficiency class (SDR)	G
Energy consumption (SDR) per 1000 hours	82 kWh
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Energy efficiency scale	A to G

Computer system

Computer system *	✔
Computer system type	System on Chip (SoC)
Internal memory	16 GB
Operating system installed	WebOS
Operating system version	6.0

Weight & dimensions

Display width	1215 mm
Display depth	57.1 mm
Display height	651 mm
Display weight	11.7 kg

Packaging data

Package width	1215 mm
Package depth	152 mm
Package height	775 mm

Design

Product design *	Digital signage flat panel
Placement supported *	Indoor
Orientation	Horizontal/Vertical
Product colour *	Blue
VESA mounting *	✔
Panel mounting interface	200 x 200 mm
Bezel width (bottom)	1.84 cm
Bezel width (side)	7.3 mm
Bezel width (top)	7.3 mm

Performance

Purpose *	Universal
On Screen Display (OSD)	✔

Packaging data

Package weight	14.4 kg

Packaging content

Remote control included	✔
Batteries included	✔
Cables included	AC, Phone

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	10 - 80%

Technical details

Real Time Clock (RTC)	✔

Other features

Power consumption (PowerSave)	63 W
Plug and Play	✔

8806084391735

0195174062852

195174062852