

Samsung S95UC computer monitor 124.5 cm (49") 5120 x 1440 pixels DQHD LCD Black

Brand : Samsung

Product family: ViewFinity

Product code:
LS49C950UAUXEN

Product name : S95UC

Samsung S95UC. Display diagonal: 124.5 cm (49"), Display resolution: 5120 x 1440 pixels, HD type: DQHD, Display technology: LCD, Response time: 5 ms, Native aspect ratio: 32:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



Display		Ergonomics	
Display diagonal *	124.5 cm (49")	Height adjustment *	✓
Display resolution *	5120 x 1440 pixels	Height adjustment	12 cm
HD type *	DQHD	Pivot	✗
Native aspect ratio *	32:9	Swivelling	✓
Display technology *	LCD	Swivel angle range	-15 - 15°
Panel type *	VA	Tilt adjustment	✓
Touchscreen *	✗	Tilt angle range	-2 - 11°
Display brightness (typical)	350 cd/m ²	Picture-in-Picture	✓
Display brightness (min)	280 cd/m ²	Black eQualizer function	✗
Response time *	5 ms		
Response time measurement type	GTG (Gray to Gray)	Power	
Screen shape *	Curved	Energy efficiency class (SDR) *	G
Screen curvature rating	1000R	Energy efficiency class (HDR) *	G
Contrast ratio (typical) *	3000:1	Energy consumption (SDR) per 1000 hours *	44 kWh
Dynamic contrast ratio marketing name	Mega DCR	Energy consumption (HDR) per 1000 hours *	74 kWh
Maximum refresh rate *	120 Hz	Power consumption (typical) *	44 W
Viewing angle, horizontal	178°	Power consumption (max)	210 W
Viewing angle, vertical	178°	Power consumption (off)	0.3 W
Display number of colours *	1.07 billion colours	AC input voltage	100 - 240 V
Viewable size, horizontal	119.2 cm	Power supply type	Internal
Viewable size, vertical	33.5 cm	Energy efficiency scale	A to G
Display diagonal (metric)	124 cm	European Product Registry for Energy Labelling (EPREL) code	1775280
High Dynamic Range (HDR) supported	✓	Operational conditions	
High Dynamic Range (HDR) technology	DisplayHDR 400	Operating temperature (T-T)	10 - 40 °C
Colour gamut standard	DCI-P3	Operating relative humidity (H-H)	10 - 80%
Colour gamut	92%	Weight & dimensions	
sRGB coverage (typical)	115%	Width (with stand)	1147.6 mm
Quantum dot color technology	✗	Depth (with stand)	420.5 mm
Performance		Height (with stand)	568.4 mm
NVIDIA G-SYNC *	✗	Weight (with stand)	15.6 kg
AMD FreeSync *	✗	Width (without stand)	1147.6 mm
VESA Adaptive Sync support	✗	Depth (without stand)	293.8 mm

Performance		Weight & dimensions	
Flicker-free technology	✓	Height (without stand)	363.5 mm
Game mode	✗	Weight (without stand)	10.6 kg
Smart modes	FPS, RPG, RTS	Packaging data	
Windows operating systems supported	Windows 10	Stand type	HAS stand
Multimedia		Package width	1265 mm
Number of speakers	2	Package depth	481 mm
RMS rated power	10 W	Package height	343 mm
Built-in speaker(s) *	✓	Package weight	20.6 kg
Adaptive Sound Control (ASC)	✗	Packaging content	
Built-in camera *	✗	Cables included	HDMI, USB Type-A to Micro USB Type-B, USB Type-C
Design		Remote control included	✗
Market positioning *	Professional	Installation CD	✗
Product colour *	Black	Other features	
Feet colour	Black	Low input lag	✗
Ports & interfaces		TV Plus	✗
Built-in USB hub *	✓	Works with Samsung Bixby	✗
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Wireless Dex support	✗
Number of USB Type-C upstream ports quantity	1	Tap view	✗
USB Type-A downstream ports quantity	3	Far-field voice interaction	✗
USB Type-C DisplayPort Alternate Mode	✓	Universal guide	✗
USB Power Delivery (USB PD)	✓	Multi View	✗
USB Power Delivery up to	90 W	Local dimming	✗
DVI port	✗	Power consumption (DPMS)	0.5 W
HDMI *	✓	Picture-by-Picture (PbP)	✓
HDMI ports quantity	2	Anynet + (HDMI-CEC)	✗
HDMI version	2.0	Samsung Eye Saver Mode	✓
DisplayPorts quantity	1	Daisy chain	✗
DisplayPort version	1.4	Video colour modes	Custom, Eco, Entertain, Game, Graphic, Original, Sports, Standard
Audio input	✗	Eco Saving Plus	✗
Headphone out *	✓	Image size	Yes
Built-in KVM switch	✓	Wireless display	✗
HDCP	✓	Gray balance	No
HDCP version	2.2	Disclaimer	✗
Network		Factory tuning	Yes
Wi-Fi	✗	Adaptive picture	✓
Bluetooth	✗	Auto source switch	✓
Ethernet LAN	✓	Off Timer Plus	✓
Ergonomics		Knox vault	✗
VESA mounting *	✓	Workspace	✗
Panel mounting interface	100 x 100 mm	Factory calibration report	✗
Wall mountable	✓	Virtual AIM point	✗
		My contents	✗
		Recycling data	
		Total amount of recyclable materials	10%



8806095251233

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 23-DEC-2024. Prints or copies of Information are only valid on the printed Publication date