



## AOC E3 27E3QAF LED display 68.6 cm (27") 1920 x 1080 pixels Full HD Black

Brand : AOC

Product family: E3

Product code: 27E3QAF

Product name : 27E3QAF

Screen size (inch) 27, Panel resolution 1920x1080, Max Refresh rate 75 Hz, Panel type IPS, HDMI HDMI 1.4 x 1, DisplayPort DisplayPort 1.2 x 1, D-SUB (VGA) 1x, DVI 0x, Sync technology (VRR) Adaptive Sync AOC E3 27E3QAF. Display diagonal: 68.6 cm (27"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting, Height adjustment. Product colour: Black



Display		Ergonomics	
Display diagonal *	68.6 cm (27")	Panel mounting interface	100 x 100 mm
Display resolution *	1920 x 1080 pixels	Cable management	✓
HD type *	Full HD	Cable lock slot *	✓
Native aspect ratio *	16:9	Cable lock slot type	Kensington
Display technology *	LED	Height adjustment *	✓
Panel type *	IPS	Height adjustment	15 cm
LED backlight	✓	Pivot	✓
Backlight type	W-LED	Pivot angle	-90 - 90°
Touchscreen *	✗	Tilt adjustment	✓
Response time *	4 ms	Tilt angle range	-5 - 35°
Anti-glare screen	✓	On Screen Display (OSD)	✓
Screen shape *	Flat	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish
Contrast ratio (typical) *	1000:1	Number of OSD languages	16
Contrast ratio (dynamic)	20000000:1	Plug and Play	✓
Maximum refresh rate *	75 Hz	LED indicators	✓
Viewing angle, horizontal	178°	<b>Power</b>	
Viewing angle, vertical	178°	Power consumption (typical) *	18 W
Display number of colours *	16.7 million colours	Power consumption (standby) *	0.5 W
Pixel pitch	0.3114 x 0.3114 mm	Power consumption (max)	38 W
Pixel density	82 ppi	Power consumption (off)	0.3 W
Horizontal scan range	30 - 85 kHz	AC input voltage	100 - 240 V
Vertical scan range	48 - 75 Hz	AC input frequency	50/60 Hz
Viewable size, horizontal	59.8 cm	Input current	1.5 A
Viewable size, vertical	33.6 cm	Power supply type	Internal
Display diagonal (metric)	68.6 cm		
High Dynamic Range (HDR) supported	✓		
DDC/CI	✓		
Surface hardness	3H		

<b>Performance</b>		<b>Operational conditions</b>	
NVIDIA G-SYNC *	✗	Operating temperature (T-T)	0 - 40 °C
Fast charging	✗	Storage temperature (T-T)	-25 - 55 °C
VESA Adaptive Sync support	✓	Operating relative humidity (H-H)	10 - 85%
Flicker-free technology	✓	Storage relative humidity (H-H)	5 - 93%
Low Blue Light technology	✓	Operating altitude	0 - 5000 m
Game mode	✓	Non-operating altitude	0 - 12192 m
<b>Multimedia</b>		<b>Weight &amp; dimensions</b>	
Number of speakers	2	Width (with stand)	614.7 mm
RMS rated power	4 W	Depth (with stand)	201.3 mm
Built-in speaker(s) *	✓	Height (with stand)	544.5 mm
Built-in microphone	✗	Weight (with stand)	5.38 kg
Built-in camera *	✗	Width (without stand)	614.7 mm
<b>Design</b>		Depth (without stand)	50.8 mm
Market positioning *	Office	Height (without stand)	369.6 mm
Product colour *	Black	Weight (without stand)	3.56 kg
Frameless design	✓	<b>Packaging data</b>	
Front bezel colour	Black	Package width	820 mm
Detachable stand	✓	Package depth	162 mm
Feet colour	Black	Package height	481 mm
<b>Ports &amp; interfaces</b>		Package weight	8.71 kg
VGA (D-Sub) ports quantity	1	<b>Packaging content</b>	
HDMI *	✓	Stand included	✓
HDMI ports quantity	1	Cables included	AC
HDMI version	1.4	Quick start guide	✓
DisplayPorts quantity	1	<b>Sustainability</b>	
DisplayPort version	1.2	Sustainability certificates	EPEAT Silver
Audio input	✓	<b>Other features</b>	
Headphone out *	✓	FPS counter	✓
Headphone outputs	1	Dial point	✓
Headphone connectivity	3.5 mm	Shadow control	✓
HDCP version	1.4	Compatibility	VESA-P2
AC (power) in	✓	Exterior finish type	Textured
Mobile High-Definition Link (MHL)	✗	Warranty period	3 year(s)
<b>Ergonomics</b>		Light effects	✗
VESA mounting *	✓	Certification	ISO 9241-307
		<b>Recycling data</b>	
		Post-consumer recycled plastic	85%



4038986181235

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 26-DEC-2024. Prints or copies of Information are only valid on the printed Publication date