

## j5create JUH340-N USB 3.0 4-porttinen KESKITIN - EU/ UK

**Tuotemerkki :** j5create

**Tuotekoodi:** JUH340-N

**Tuotteen nimi :** JUH340-N USB 3.0 4-porttinen KESKITIN - EU/ UK



USB 3.0 4-porttinen KESKITIN - EU/ UK

[j5create JUH340-N USB 3.0 4-porttinen KESKITIN - EU/ UK:](#)

Korkean suorituskyvyn JUH340 USB™ 3.0 4-portin minikeskitin mahdollistaa enintään neljän USB™ 3.0 laitteen samanaikaisen liittämisen 5 Gbps -tiedonsiirtonopeudella, tarjoten samalla liitettävyyden ja tuen USB™ 2.0 (480 Mbps) - ja 1.1 (12 Mbps) -laitteille. Se toimii korkean kaistanleveyden SuperSpeed USB™ 3.0 laitteiden kanssa, kuten ulkoiset kiintolevyasemat, korkean resoluution verkkokamerat, videovalvontakamerat, digitaaliset videokamerat, monikanavainen audio jne. Lisäksi se tukee älypuhelin, tablettien ja iPad®:in pikalatausta.



Ports & interfaces		Packaging data	
Host interface *	USB 3.2 Gen 1 (3.1 Gen 1) Micro-B	Package type	Box
Hub interfaces *	USB 3.2 Gen 1 (3.1 Gen 1) Type-A	<b>Packaging content</b>	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4	AC adapter included	✓
Ports quantity *	4	Cables included	USB
Card reader integrated	✗	Quick installation guide	✓
DC-in jack	✓	Quick start guide	✓
<b>Features</b>		Packaging content	1 x JUH340 USB™ 3.0 4-Port Hub, 1 x USB™ 3.0 cable, 1 x Power Adapter, 1 x Quick Installation Guide
Data transfer rate *	5000 Mbit/s	<b>Operational conditions</b>	
Product colour	Black	Minimum operating temperature	0 °C
Housing material	Aluminium	Maximum operating temperature	40 °C
Cable length	0.6 m	Operating temperature (T-T)	0 - 40 °C
Plug and Play	✓	<b>Performance</b>	
Country of origin	Taiwan	Export Control Classification Number (ECCN)	EAR99
Compatible products	Devices with available USB™ port	Commodity Classification Automated Tracking System (CCATS)	8471.80.0000
<b>Power</b>		<b>Logistics data</b>	
Power source type	AC	Master (outer) case width	280 mm
Power consumption (typical)	20 W	Master (outer) case length	430 mm
Input voltage	110 - 240 V	Master (outer) case height	235 mm
AC input frequency	50 - 60 Hz	Master (outer) case gross weight	6.74 kg
Output voltage	5 V	Products per master (outer) case	18 pc(s)
Output current	0.5 A	Master (outer) case GTIN (EAN/UPC)	24712795080272
USB powered	✓	Shipping (inner) case width	21.2 cm
<b>System requirements</b>			
Windows operating systems supported	✓		
Mac operating systems supported	✓		

System requirements		Logistics data	
Linux operating systems supported	✓	Shipping (inner) case length	26.9 cm
Weight & dimensions		Shipping (inner) case height	13 cm
Width	88 mm	Shipping (inner) case gross weight	2.19 kg
Depth	14.8 mm	Products per shipping (inner) case	6 pc(s)
Height	32.8 mm	Technical details	
Weight	38.2 g	Box contents	1 x JUH340 USB™ 3.0 4-Port Hub, 1 x USB™ 3.0 cable, 1 x Power Adapter, 1 x Quick Installation Guide
Packaging data		Warranty period	2 year(s)
Quantity per pack	1 pc(s)		
Package width	193 mm		
Package depth	125 mm		
Package height	42 mm		
Package weight	339.5 g		



0847626000355



847626000355



4712795080278



(01)24712795080272

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.