



LG 55TR3DK-B Interaktiivinen valkotaulu 139,7 cm (55") 3840 x 2160 pikseliä Kosketusnäyttö musta

Tuotemerkki : LG

Tuotekoodi: 55TR3DK-B

Tuotteen nimi : 55TR3DK-B



LG 55TR3DK-B. Näytön halkaisija: 139,7 cm (55"), Näytön kirkkaus: 390 cd/m², Näytön erottelutarkkuus: 3840 x 2160 pikseliä. RAM-kapasiteetti: 32 GB, Näytönohjain: Mali-G52 MP2. Kaiuttimen teho: 15 W. Kuvasuhte: 16:9. Wi-Fi-standardi: Wi-Fi 6 (802.11ax), Wi-Fi-standardit: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Ethernet LAN -datanopeudet: 10,100,1000 Mbit/s



Display		Ports & interfaces	
Display diagonal *	139.7 cm (55")	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1
Display brightness	390 cd/m ²	USB 2.0 ports quantity	1
Display resolution	3840 x 2160 pixels	HDMI ports quantity	3
HD type	4K Ultra HD	Ethernet LAN (RJ-45) ports	2
Panel type	IPS	VGA (D-Sub) ports quantity	1
Contrast ratio (typical)	1200:1	Line-in	✓
Contrast ratio (dynamic)	50000:1	Line-out	✓
Response time	8 ms		
Maximum refresh rate	60 Hz		
Touchscreen *	✓		
Viewing angle, horizontal	178°		
Viewing angle, vertical	178°		
Colour gamut	72%		
Computer system		Ergonomics	
RAM capacity	32 GB	Product colour	Black
Graphics card	Mali-G52 MP2	VESA mounting	✓
		Panel mounting interface	400 x 200 mm
Audio		Power	
Built-in speaker(s) *	✓	Power consumption (max)	395 W
Number of built-in speakers	2	Power consumption (typical)	170 W
Speaker power	15 W	Power consumption (off)	0.5 W
		AC input voltage	100 - 240 V
		AC input frequency	50 - 60 Hz
Projector		Operational conditions	
Built-in projector *	✗	Operating temperature (T-T)	0 - 40 °C
Aspect ratio	16:9	Operating relative humidity (H-H)	10 - 90%
Network		Weight & dimensions	
Wi-Fi	✓	Width *	1271 mm
Top Wi-Fi standard	Wi-Fi 6 (802.11ax)	Depth	774 mm
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)	Height *	87 mm
Bluetooth	✓	Weight	26.1 kg
Bluetooth version	5.0		
Ethernet LAN	✓		
Ethernet LAN data rates	10,100,1000 Mbit/s		
		Packaging data	
		Package width	1401 mm
		Package depth	859 mm
		Package height	220 mm
		Package weight	34.5 kg
		Sustainability	
		Sustainability certificates	ENERGY STAR

Ports & interfaces

HDCP	✓
HDCP version	2.2



0195174042632



195174042632



8806091832917

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.