Lenovo ThinkSystem SR630 V2 palvelin Teline (1U) Intel $\ensuremath{\mathbb{R}}$ Xeon Silver 4309Y 2,8 GHz 32 GB DDR4-SDRAM 1100 W

Tuotemerkki : Lenovo

Tuoteperhe: ThinkSystem

Tuotekoodi: 7Z71A088EA

Tuotteen nimi : SR630 V2

Lenovo ThinkSystem SR630 V2. Suoritinperhe: Intel® Xeon Silver, Prosessorin taajuus: 2,8 GHz, Prosessorimalli: 4309Y. Sisäinen muisti: 32 GB, Sisäisen muistin tyyppi: DDR4-SDRAM, Muistin sijoittelu (paikat x koko): 1 x 32 GB. Ethernet LAN. Virtalähde: 1100 W, Vikasietoisen virtalähteen tuki (RPS). Alustatyyppi: Teline (1U)

Processor		Ports & interfaces	
Processor manufacturer *	Intel	USB 3.2 Gen 1 (3.1 Gen 1) Type-A	4
Processor family *	Intel Xeon Silver	ports quantity VGA (D-Sub) ports quantity	1
Processor generation	3rd Generation Intel® Xeon® Scalable	Expansion slots	-
Processor model *	4309Y	PCI Express x16 (Gen 4.x) slots	2
Processor frequency *	2.8 GHz		Z
Processor boost frequency	3.6 GHz	Design	
Efficient-core base frequency	2.8 GHz	Chassis type *	Rack (1U)
Performance-core base frequency	2.8 GHz	Product colour	Black
Processor cores Processor cache	8 12 MB	Rack mounting	 Image: A start of the start of
Motherboard chipset	IZ MB Intel C621A	Redundant fans support	1
Number of processors installed	1	Performance	
Memory		Performance management	XClarity Enterprise
-	22.00	BIOS type	UEFI
Internal memory * Internal memory type *	32 GB DDR4-SDRAM	Trusted Platform Module (TPM)	 Image: A set of the set of the
Memory ranking	2	Trusted Platform Module (TPM)	2.0
Memory slots	32x DIMM	version	
ECC	 Image: A second s	Software	
Memory clock speed	3200 MHz	Operating system installed *	×
Memory layout (slots x size)	1 x 32 GB		Microsoft Windows Server 2016 Microsoft Windows Server 2019 Microsoft Windows Server 2022 Red Hat Enterprise Linux 7.9 Red Hat
Storage			
Number of HDDs supported	8		
Supported HDD sizes	2.5"	Compatible operating systems *	Enterprise Linux 8.2 Red Hat Enterprise Linux 8.3 SUSE Linux
RAID support *	1		Enterprise Server 12 SP5 SUSE
Supported RAID controllers	9350-8i		Linux Enterprise Server 12 Xen SP5 SUSE Linux Enterprise Server 15
Hot-swap	1		SP2 SUSE Linux Enterprise Server
Optical drive type *	×		15 Xen SP2 VMware ESXi 6.7 U3 VMware ESXi 7.0 U2
Internal drive bays	8	Power	
Graphics		Redundant power supply (RPS)	
On-board graphics card	1	support *	✓
On-board graphics card model	Matrox G200	Power supply *	1100 W
Maximum graphics card memory	16 MB	Number of redundant power supplies supported	2
Network		Number of redundant power	
Wake-on-LAN ready	1	supplies installed	1
Ethernet LAN	 ✓ 	Operational conditions	
Ports & interfaces		Storage temperature (T-T)	-40 - 60 °C
USB 2.0 ports quantity	1	Storage relative humidity (H-H)	8 - 90%
		Weight & dimensions	
		Width	440 mm
		Depth	773 mm
		Height	43 mm

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.