

Lindy 38349 AV-signaalin jatkaja AV-lähetin ja -vastaanotin musta

Tuotemerkki: Lindy Tuotekoodi: 38349

Tuotteen nimi: 38349

Lindy 38349. Malli: AV-lähetin ja -vastaanotin, Enimmäiserottelutarkkuus: 3840 x 2160 pikseliä, Tuetut kaapelityypit: Cat6. Yhteysteknologia: Langallinen, Digitaalinen äänen optinen tulotyyppi: Toslink, Digitaalinen äänen optinen lähtötyyppi: Toslink. Tehovaatimukset: 24VDC 1A. Tuotteen leveys: 140 mm, Tuotteen syvyys: 65 mm, Tuotteen korkeus: 18 mm. Lukumäärä per pakkaus: 1 kpl, Pakkauksen leveys: 245 mm, Pakkauksen syvyys: 75 mm





		P	
Features		Power	
Type *	AV transmitter & receiver	Power requirements	24VDC 1A
Maximum resolution *	e types supported Cat6 mum transfer distance 70 m set VS010-A0 mum refresh rate 60 Hz	Operational conditions	
Cable types supported Maximum transfer distance Chipset Maximum refresh rate		Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H)	0 - 40 °C -20 - 60 °C 20 - 90%
RS-232 pass-through		Weight & dimensions	
Bidirectional Infrared (IR) frequency range Bandwidth HDCP	20 - 60 kHz 18 Gbit/s	Width Depth Height Weight	140 mm 65 mm 18 mm 760 g
Material	Metal	Packaging data	
HDCP version Product colour Certification	2.2 Black California Proposition 65	Quantity per pack Package width Package depth	1 pc(s) 245 mm 75 mm
Ports & interfaces	Camerina i reposition es	Package height	185 mm
Connectivity technology * RJ-45 input ports	Wired 1	Package weight Package type	940 g Box
RJ-45 output ports HDMI in	1 1	Packaging content	
Number of HDMI outputs HDMI version Digital audio optical input type Digital audio optical output type 3.5 mm (1/8-inch) in 3.5 mm (1/8-inch) out DC-in jack	HDMI outputs 1 n 2.0 o optical input type TOSLINK o optical output type TosLink -inch) in	Manual Packaging content	HDBaseT HDMI Extender, Transmitter HDBaseT HDMI Extender, Receiver IR Emitter Cable, 1.5m IR Receiver Cable, 1.5m 4 x Mounting Ears & 8 x Screws 2 x 3- Pin Terminal Block Multi-country Power Supply (UK, EU, US & AUS) Lindy Manual


Technical details

Special features PoC, ARC

Sustainability compliance

Warranty period 2 year(s)

CE, Federal Communications Commission (FCC), REACH, RoHS, UKCA Compliance certificates



4002888383493

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.