



## BenQ V5000i data projector Standard throw projector 2500 ANSI lumens DLP UHD 4K (3840x2160) Black

**Brand :** BenQ

**Product code:** 9H.JRA77.57E

**Product name :** V5000i



- Exclusive HDR-PRO Local Contrast Enhancer and Dynamic Black™ for perfect details in dark and bright areas

- RGB laser with super-wide 95% BT. 2020 & 98% DCI-P3 CinematicColor

- Certified Android TV and free home installation service included

4K HDR RGB Laser Ultra, 2500 ANSI, 4K UHD (3840x2160), 16:9, HDMI, USB Type A, USB Type Mini B, 3.5mm Jack

BenQ V5000i. Projector brightness: 2500 ANSI lumens, Projection technology: DLP, Projector native resolution: UHD 4K (3840x2160). Light source type: Laser, Service life of light source: 20000 h, Service life of light source (economic mode): 20000 h. Focus: Manual, Zoom type: Fixed, Offset: 123.5%.

Supported 3D formats: Frame Sequential, Frame packing, Side by side, Top and bottom, Supported graphics resolutions: 640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 576 (WSVGA), 1024 x 768 (XGA), 1152 x 864..., Supported video modes: 480i, 480p, 576i, 576p, 1080i, 1080p, 2160p. Serial interface type: RS-232, HDMI version: 2.0/2.1

Projector		Features	
Supported aspect ratios	4:3, 16:9	Interactive *	✗
Smart projector *	✓	Noise level (economic mode)	26 dB
Screen size compatibility *	1778 - 2540 mm (70 - 100")	HDCP	✓
Projector brightness *	2500 ANSI lumens	Preset modes	ISF Day, ISF Night
Projection technology *	DLP	Test patterns	✓
Projector native resolution *	UHD 4K (3840x2160)	Noise level *	28 dB
Contrast ratio (typical) *	2500000:1	Real cinema	✓
Native aspect ratio *	16:9	High Dynamic Range (HDR) supported	✓
Number of colours	1.07 billion colours	High Dynamic Range (HDR) technology	Filmmaker Mode, High Dynamic Range 10 (HDR10), High Dynamic Range 10+ (HDR10 Plus), Hybrid Log-Gamma (HLG)
Horizontal scan range	15 - 135 kHz	Video apps	Netflix
Vertical scan range	23 - 240 Hz	AirPlay	✓
Digital gamma correction	✓	Eye protection	✓
Digital gamma correction settings	1.8, 2.0, 2.1, 2.2, 2.3, 2.4, 2.6	Noise reduction	✓
Keystone correction, horizontal	± 30°	Multimedia	
Keystone correction, vertical	± 30°	Built-in speaker(s) *	✓
Light source		RMS rated power	5 W
Light source type *	Laser	Number of built-in speakers	2
Service life of light source *	20000 h	Audio formats supported	LPCM
Service life of light source (economic mode)	20000 h	Design	
Lens system		Market positioning *	Home cinema
Focus *	Manual	Product type *	Standard throw projector
Zoom type	Fixed	Product colour *	Black
Throw ratio	0.25	LED indicators	✓
Offset	123.5%		
Video			
Full HD *	✓		

<b>Video</b>		<b>Display</b>	
3D *	✗	Built-in display *	✗
Supported 3D formats	Frame Sequential, Frame packing, Side by side, Top and bottom	<b>Power</b>	
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 576 (WSVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 768, 1280 x 800, 1280 x 960, 1360 x 768 (WXGA), 1400 x 1050 (SXGA+), 1440 x 900, 1600 x 1200, 1680 x 1050 (WSXGA+), 3840 x 2160	Power source *	DC
Supported video modes	480i, 480p, 576i, 576p, 1080i, 1080p, 2160p	Power consumption (typical) *	150 W
Video colour modes	Bright cinema, Living room	Power consumption (standby) *	0.5 W
<b>Ports &amp; interfaces</b>		AC input voltage	100 - 240 V
HDMI version	2.0/2.1	AC input frequency	50/60 Hz
USB 2.0 ports quantity	3	Cord length	1.2 m
USB 2.0 Type-B ports quantity	1	<b>Operational conditions</b>	
Audio (L/R) out	1	Operating temperature (T-T)	0 - 40 °C
Serial interface type *	RS-232	Storage temperature (T-T)	-20 - 60 °C
S/DPDIF out port	✓	Operating relative humidity (H-H)	10 - 90%
HDMI ports quantity *	3	Operating altitude	1500 - 3000 m
DVI port *	✗	<b>Weight &amp; dimensions</b>	
DC-in jack	✓	Width	760 mm
<b>Network</b>		Depth	358 mm
Ethernet LAN *	✗	Height	164 mm
Wi-Fi *	✓	Weight *	13.2 kg
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)	<b>Packaging content</b>	
Bluetooth	✓	Remote control included *	✓
Bluetooth version	5.0	3D glasses included	✓
<b>Storage</b>		Cables included	AC
Card reader integrated *	✗	Manual	✓
		Warranty card	✓
		<b>Technical details</b>	
		Warranty period	3 year(s)
		<b>Logistics data</b>	
		Quantity per pack	1 pc(s)
		<b>Other features</b>	
		Security updates end date	31/12/2026



4718755089657

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 21-DEC-2024. Prints or copies of Information are only valid on the printed Publication date