/isus

## ASUS ROG -STRIX-RTX4070TIS-016G-GAMING NVIDIA GeForce RTX 4070 Ti SUPER 16 GB GDDR6X

Brand : ASUS

Product family: ROG

Product code: 90YV0KG0-M0NA00

Product name : ROG-STRIX-RTX4070TIS-016G-GAMING

16 GB, GDDR6X, 256-bit, PCI Express 4.0, 2700 MHz OC mode clock, 2x HDMI, 3x DisplayPort, 1x 16-pin, 3.15 slot, ARGB

ASUS ROG -STRIX-RTX4070TIS-016G-GAMING NVIDIA GEForce RTX 4070 Ti SUPER 16 GB GDDR6X:

## ROG Strix GeForce RTX™ 4070 Ti SUPER 16GB GDDR6X OC Edition


ROG Strix GeForce RTX<sup>™</sup> 4070 Ti SUPER 16GB GDDR6X OC Edition buffed-up design with chart-topping thermal performance

ASUS ROG -STRIX-RTX4070TIS-O16G-GAMING. Graphics processor family: NVIDIA, Graphics processor: GeForce RTX 4070 Ti SUPER. Discrete graphics card memory: 16 GB, Graphics card memory type: GDDR6X, Memory bus: 256 bit. Maximum resolution: 7680 x 4320 pixels. DirectX version: 12 Ultimate, OpenGL version: 4.6. Interface type: PCI Express 4.0. Cooling type: Active, Number of fans: 3 fan(s), Illumination colour: Multi

_			
Processor		Performance	
CUDA *	1	HDCP	✓
CUDA cores	8448	HDCP version	2.3
Graphics processor family *	NVIDIA	Dual Link DVI *	×
Graphics processor *	GeForce RTX 4070 Ti SUPER	NVIDIA G-SYNC	✓
Processor boost clock speed Processor frequency (OC mode)	2670 MHz 2700 MHz	Design	
Maximum resolution *	7680 x 4320 pixels	Cooling type *	Active
Parallel processing technology support *	Not supported	Cooling technology Number of fans	ASUS Axial-tech 3 fan(s)
Maximum displays per videocard	4	Form factor	Full-Height/Full-Length (FH/FL)
Memory		Bracket height	Full-Height (FH)
Discrete graphics card memory * Graphics card memory type * Memory bus * Data transfer rate Ports & interfaces	16 GB GDDR6X 256 bit 21 Gbit/s	Number of slots Illumination Illumination colour Product colour <b>Power</b>	3.15 ✓ Multi Black
Interface type * HDMI ports quantity *	PCI Express 4.0 2	Minimum system power supply * Supplementary power connectors	750 W 1x 16-pin
HDMI version	2 2.1a	System requirements	
DisplayPorts quantity * DisplayPort version	3 1.4a	Windows operating systems supported	Windows 11
Performance		Weight & dimensions	
TV tuner integrated *	×	Length	336 mm
DirectX version *	12 Ultimate	Depth	63 mm
OpenGL version *	4.6	Height	150 mm
Virtual Reality (VR) ready	✓	Packaging data	
		Package type	Box



Packaging content
Manual



4711387438572

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.