

## ASUS ROG STRIX LC II 240 ARGB White Edition Processor All-in-one liquid cooler 12 cm 1 pc(s)

**Brand :** ASUS

**Product code:** 90RC00E2-M0UAY2

**Product name :** ROG STRIX LC II 240 ARGB White Edition



- Seventh Gen Asetek pump delivers exceptional cooling and minimal noise with an operating range starting at 840 rpm
  - Two ROG-designed radiator fans provide optimized airflow and static pressure
  - ARGB lighting on the NCVM-coated pump cover and the radiator fans conveys a sleek, modern design
  - Aesthetic perfectly complements ROG motherboards from center stage
  - Reinforced, sleeved tubing offers increased durability
- 80x80x45 mm Copper, 121 x 272 x 27 mm Aluminum, 2 x Fan (120mm), 800 - 2500 RPM, 5.0 mmH2O, 80.95 CFM / 137.5 m3h, 37.6 dB(A), ARGB
- ASUS ROG STRIX LC II 240 ARGB White Edition. Type: All-in-one liquid cooler, Fan diameter: 12 cm, Maximum airflow: 80.95 cfm, Airflow: 137.5 m³/h. Product colour: White



Performance		Design		
Suitable location *	Processor	Fan controller	✓	
Type *	All-in-one liquid cooler	Weight & dimensions		
Fan diameter	12 cm	Radiator width	12.1 cm	
Supported processor sockets	LGA 1150 (Socket H3), LGA 1151 (Socket H4), LGA 1155 (Socket H2), LGA 1156 (Socket H), LGA 1200 (Socket H5), LGA 1700, LGA 2011 (Socket R), LGA 2011-v3 (Socket R), LGA 2066, Socket AM4, Socket TR4	Radiator depth	27.2 cm	
	Maximum airflow	80.95 cfm	Radiator height	2.7 cm
	Airflow	137.5 m³/h	Tube length	38 cm
	Pulse-width modulation (PWM) support	✓	Waterblock width	8 cm
	Quantity per pack	1 pc(s)	Waterblock depth	8 cm
Fan speed (min)	800 RPM	Waterblock height	4.5 cm	
Fan speed (max)	2500 RPM	Weight	804 g	
Fan static pressure	5 mmH2O	Fan dimensions (W x D x H)	120 x 120 x 25 mm	
Design		Fan thickness	2.5 cm	
Product colour *	White	Package width	350 mm	
Material	Aluminium, Copper	Package depth	138 mm	
Radiator material	Aluminum	Package height	232 mm	
Base plate material	Copper	Package weight	2.3 kg	
Illumination LED	✓	Other features		
Illumination colour	Multi	Tube material	Rubber	
Fan connector	4-pin	Noise level	37.6 dB	
Water block material	Copper	Logistics data		
		Harmonized System (HS) code	84733080	



4711081886754

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 23-DEC-2024. Prints or copies of Information are only valid on the printed Publication date