MPN: MO-10052

SFP 1.25 Gbps, SMF, 20 km, LC, DDMI support, Compatible with Extreme Networks 10052

• **100% Extreme Compatible**



Specifications

Features	Brand compatibility	Extreme Networks
	Certification	MSA
	Compatible products	Extreme 10052
	Easy to install	Υ
	Plug and Play	Υ
	RoHS compliance	Υ
Operational conditions	Operating temperature (T-T)	0 - 70 °C
	Storage relative humidity (H-H)	10 - 85 %
	Storage temperature (T-T)	0 - 70 °C
Package dimensions	Depth (package,cm)	10 cm
	Gross Weight (Package, kg)	0.04 kg
	Height (package,cm)	3 cm
	Width (package,cm)	6 cm
Packaging data	Number of products included	1 pc(s)
Performance	Digital Diagnostics Monitoring (DDM)	Υ
	Fiber ports quantity	1
	Maximum data transfer rate	1000 Mbit/s
	Multi-mode fiber (MMF) supported	N
	SFP transceiver type	Fiber optic
	Single-mode fiber (SMF) supported	Υ
	Wavelength	1310 nm
Product dimensions	Net Weight (Product, kg)	0.03 kg

Product dimensions	Product Depth	6 cm
	Product Height	2 cm
	Product Width	1.6 cm
Vendor information	Brand Name	MicroOptics
	Warranty	3 Year(s)

Other images

