

MPN: MO-10051

# SFP 1.25 Gbps, MMF, 550m, LC, DDMI support, Compatible with Extreme Networks 10051

- **\*\*100% Extreme Compatible\*\***



## Specifications

Features	Brand compatibility	Extreme Networks
	Certification	MSA
	Compatible products	Extreme 10051
	Easy to install	Y
	Plug and Play	Y
	RoHS compliance	Y
Operational conditions	Operating temperature (T-T)	0 - 70 °C
	Storage relative humidity (H-H)	10 - 85 %
	Storage temperature (T-T)	0 - 70 °C
Package dimensions	Depth (package,cm)	10 cm
	Gross Weight (Package, kg)	0.04 kg
	Height (package,cm)	3 cm
	Width (package,cm)	6 cm
Packaging data	Number of products included	1 pc(s)
Performance	Digital Diagnostics Monitoring (DDM)	Y
	Fiber ports quantity	1
	Maximum data transfer rate	1000 Mbit/s
	Multi-mode fiber (MMF) supported	Y
	SFP transceiver type	Fiber optic
	Single-mode fiber (SMF) supported	N
	Wavelength	850 nm
Product dimensions	Net Weight (Product, kg)	0.03 kg

<b>Product dimensions</b>	<b>Product Depth</b>	6 cm
	<b>Product Height</b>	1.6 cm
	<b>Product Width</b>	2.2 cm
<b>Vendor information</b>	<b>Brand Name</b>	MicroOptics
	<b>Warranty</b>	3 Year(s)

## Other images

