

MPN: MO-10401

QSFP28 100 Gbps, MTP/MPO, 100m, DDMI support, Compatible with Extreme networks 10401

Micro-Optics products provide seamless connectivity for all your current and future network hardware needs.

- ****100% Extreme networks Compatible****



Specifications

Features	Brand compatibility	Extreme Networks
	Certification	MSA
	Compatible products	Extreme networks 10401
	Easy to install	Y
	Form factor	QSFP28
	Hot-Plug support	Y
	Plug and Play	Y
	RoHS compliance	Y
Operational conditions	Operating temperature (T-T)	0-70 °C
Package dimensions	Depth (package,cm)	10 cm
	Gross Weight (Package, kg)	0.04 kg
	Height (package,cm)	3 cm
	Width (package,cm)	6 cm
Performance	Ethernet interface type	100 Gigabit Ethernet
	Fiber ethernet cabling technology	100GBASE-SR4
	Fiber optic connector	QSFP28
	Maximum data transfer rate	100000 Mbit/s
	Maximum transfer distance	100 m
	Multi-mode fiber (MMF) supported	Y
	SFP transceiver standard	SR4
	SFP transceiver type	Fiber optic
	Single-mode fiber (SMF) supported	N
	Wavelength	850 nm

Product dimensions

Net Weight (Product, kg)	0.03 kg
Product Depth	6.6 cm
Product Height	1.2 cm
Product Width	1.8 cm

Vendor information

Brand Name	MicroOptics
Warranty	3 Year(s)

Other images

