

MPN: MO-E1MG-LX-OM-T

SFP 1.25 Gbps, SMF, 20km, LC, DDMI support, Compatible with Brocade E1MG-LX-OM-T

Micro-Optics products provide seamless connectivity for all your current and future network hardware needs.

- ****100% Brocade Compatible****



Specifications

Features	Brand compatibility	Brocade
	Certification	MSA
	Compatible products	Brocade E1MG-LX-OM-T
	Easy to install	Yes
	Form factor	SFP
	Plug and Play	Yes
	RoHS compliance	Yes
Operational conditions	Operating temperature (T-T)	-45 - 75 °C
	Storage relative humidity (H-H)	10 - 85 %
	Storage temperature (T-T)	-40 - 85 °C
Package dimensions	Depth (package,cm)	10 cm
	Gross Weight (Package, kg)	0.04 kg
	Height (package,cm)	3 cm
	Width (package,cm)	6 cm
Packaging data	Number of products included	1 kusû
Performance	Digital Diagnostics Monitoring (DDM)	Yes
	Duplex system	Full
	Fiber ports quantity	1
	Maximum data transfer rate	1000 Mbit/s
	Multi-mode fiber (MMF) supported	No
	SFP transceiver type	Fiber optic
	Single-mode fiber (SMF) supported	Yes
	Wavelength	1310 nm

Product dimensions	Net Weight (Product, kg)	0.03 kg
	Product Depth	5.6 cm
	Product Height	0.85 cm
	Product Width	1.2 cm
Vendor information	Brand Name	Lanview
	Warranty	3 Year(s)

Other images



Recommended accessories



Lanview LC-LC Singlemode fibre cable duplex 1m OS2 9/125 LSZH
MPN: LVO231406



Lanview LC-LC Singlemode fibre cable duplex 2m OS2 9/125 LSZH
MPN: LVO231407



Lanview LC-LC Singlemode fibre cable duplex 3m OS2 9/125 LSZH
MPN: LVO231408



MicroConnect Optical Fibre Cable, LC-LC, Singlemode, Duplex, OS2 (Yellow) 2m
MPN: FIB441002



MicroConnect Optical Fibre Cable, LC-LC, Singlemode, Duplex, OS2 (Yellow) 1.5m
MPN: FIB4410015



MicroConnect Optical Fibre Cable, LC-LC, Singlemode, Duplex, OS2 (Yellow) 3m
MPN: FIB441003