

MPN: MO-J9152A

MicroOptics HPE ProCurve J9152A Compatible 10GBASE-LRM SFP+ 1310nm 220m Duplex LC MMF/SMF Optical Transceiver

Micro-Optics products provide seamless connectivity for all your current and future network hardware needs.

- ****100% HPE Compatible****



Specifications

Features	Brand compatibility	HP
	Certification	MSA
	Compatible products	HPE ProCurve J9152A
	Easy to install	Y
	Form factor	SFP+
	Hot-Plug support	Y
	Hot-swap	Y
	Plug and Play	Y
	RoHS compliance	Y
Operational conditions	Operating temperature (T-T)	0-70 °C
Package dimensions	Depth (package,cm)	6.7 cm
	Gross Weight (Package, kg)	0.03 kg
	Height (package,cm)	2.4 cm
	Width (package,cm)	10.6 cm
Performance	Duplex system	Full
	Ethernet interface type	10 Gigabit Ethernet
	Fiber optic connector	LC
	Maximum data transfer rate	10000 Mbit/s
	Maximum transfer distance	220 m
	Multi-mode fiber (MMF) supported	Y
	Single-mode fiber (SMF) supported	Y
	Wavelength	1310 nm

Product dimensions

Net Weight (Product, kg)	0.02 kg
Product Depth	5.65 cm
Product Height	0.85 cm
Product Width	1.34 cm

Vendor information

Brand Name	MicroOptics
Warranty	3 Year(s)

Other images

