MPN: MO-QSFP-100G-DR-S

QSFP28 100 Gbps SMF, 500 m, MTP/MPO, Compatible with Cisco QSFP-100G-DR-S

• **100% Cisco Compatible**



Specifications

Features	Brand compatibility	Cisco
reatures	Certification	MSA
	Compatible products	Cisco QSFP-100G-DR-S
	Easy to install	Υ
	Form factor	QSFP28
	Plug and Play	Υ
	RoHS compliance	Y
Operational conditions	Maximum operating temperature	70 °C
	Minimum operating temperature	0 °C
Package dimensions	Depth (package,cm)	8.1 cm
	Gross Weight (Package, kg)	0.04 kg
	Height (package,cm)	2.6 cm
	Width (package,cm)	16.2 cm
Packaging data	Number of products included	1 pc(s)
Performance	Digital Diagnostics Monitoring (DDM)	Y
	Ethernet interface type	100 Gigabit Ethernet
	Fiber optic connector	QSFP28
	Maximum data transfer rate	100000 Mbit/s
	Maximum transfer distance (Single-mode)	500 m
	Single-mode fiber (SMF) supported	Υ
	Tx power (max)	4 dBmW
	Tx power (min)	-2.4 dBmW

Performance	Wavelength	1310 nm
Product dimensions	Net Weight (Product, kg)	0.03 kg
Vendor information	Brand Name	MicroOptics
	Warranty	3 Year(s)

Other images

