

MPN: MO-SFP2229DL

# SFP 1.25 Gbps, MMF, 550 m, LC, DDMI support, Compatible with D-Link DEM-311GT

Micro-Optics products provide seamless connectivity for all your current and future network hardware needs.

- **\*\*100% D-Link Compatible\*\***



## Specifications

Features	Certification	MSA
	Compatible products	D-Link DEM-311GT
	Easy to install	Yes
	Hot-Plug support	Yes
	Plug and Play	Yes
	RoHS compliance	Yes
Operational conditions	Operating temperature (T-T)	-45 - 75 °C
	Storage relative humidity (H-H)	10 - 85 %
	Storage temperature (T-T)	-40 - 85 °C
Package dimensions	Gross Weight (Package, kg)	0.05 kg
Packaging data	Number of products included	1 kusú
Performance	Digital Diagnostics Monitoring (DDM)	Yes
	Duplex system	Full
	Fiber optic connector	LC
	Fiber ports quantity	1
	Interface type	SFP
	Maximum data transfer rate	1000 Mbit/s
	Maximum transfer distance	550 m
	Multi-mode fiber (MMF) supported	Yes
	SFP transceiver type	Fiber optic
	Single-mode fiber (SMF) supported	No
Wavelength	850 nm	

**Product dimensions**

<b>Net Weight (Product, kg)</b>	0.04 kg
---------------------------------	---------

**Vendor information**

<b>Brand Name</b>	Lanview
<b>Warranty</b>	3 Year(s)


## Recommended accessories



**Lanview LC-LC Multimode fibre cable  
duplex 2m OM3 50/125 LSZH**  
MPN: LVO231301



**Lanview LC-LC Multimode fibre cable  
duplex 1m OM4 LSZH**  
MPN: LVO231810



**Lanview LC-LC Multimode fibre cable  
duplex 2m OM4 LSZH**  
MPN: LVO231811



**Lanview LC-LC Multimode fibre cable  
duplex 3m OM4 LSZH**  
MPN: LVO231812



**Lanview LC-LC Multimode fibre cable  
duplex 3m OM3 50/125 LSZH**  
MPN: LVO231470



**Lanview LC-LC Multimode fibre cable  
duplex 1m OM3 50/125 LSZH**  
MPN: LVO231469