


## be quiet! Shadow Base 800 DX Black Midi Tower musta

**Tuotemerkki :** be quiet!

**Tuotekoodi:** BGW61

**Tuotteen nimi :** Shadow Base 800 DX Black

be quiet! Shadow Base 800 DX Black. Kotelo: Midi Tower, Malli: PC, Tuotteen väri: musta. Tuettujen virtalähteiden malli: ATX, PS2. Asennettuja tuulettimia edessä: 1x 140 mm, Etutuuletinten tuetut koot: 120,140 mm, Asennettuja takatuulettimia: 1x 140 mm. Tuetut HDD-koot: 2.5,3.5". Tuotteen leveys: 247 mm, Tuotteen syvyys: 550 mm, Tuotteen korkeus: 522 mm



Design		Cooling	
Material	Acrylonitrile butadiene styrene (ABS), Steel, Tempered glass	Number of rear fans supported (max)	1
Form factor *	Midi Tower	Rear fans diameters supported	120,140 mm
Type *	PC	Top fans installed	1x 140 mm
Product colour *	Black	Number of top fans supported (max)	3
Supported motherboard form factors *	ATX, EATX, micro ATX, Mini-ITX	Top fans diameters supported	120,140 mm
Number of 3.5" bays *	2	Number of bottom fans supported (max)	1
Number of 2.5" bays	4	Bottom fans diameters supported	120,140 mm
Number of expansion slots	7	Fan speed	0 - 1200 RPM
Side window	✓	Maximum airflow	57.4 cfm
Illumination	✓	Maximum air pressure	0.96 mmH2O
Illumination colour	Multi	Liquid cooling capability	✓
Illumination location	Front	Front radiator sizes supported	120,140,240,280,360,420 mm
Tempered glass panel(s)	✓	Rear radiator sizes supported	120 mm
Anti-dust filter	✓	Top radiator sizes supported	140,240,360,120,280,420 mm
Reset button	✓		
On/off button	✓	Storage	
Maximum CPU cooler height	18 cm	Supported HDD sizes *	2.5,3.5"
Maximum graphics card length	43 cm	Technical details	
Maximum PSU length	30.5 cm	Sustainability compliance	✓
Power supply		Sustainability certificates	Triman
Power supply included *	✗	Compliance certificates	CE, REACH, RoHS, UKCA, WEEE
Supported power supply form factors	ATX, PS2	Weight & dimensions	
Ports & interfaces		Width	247 mm
Audio input	✓	Depth	550 mm
Audio output	✓	Height	522 mm
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1	Weight	11.8 kg
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	2	Packaging data	
Cooling		LED controller	✓
Front fans installed	1x 140 mm	Package width	319 mm
		Package depth	575 mm
		Package height	628 mm
		Package weight	13.2 kg

## Cooling

Number of front fans supported (max)	3
Front fans diameters supported	120,140 mm
Rear fans installed	1x 140 mm



4260052190616

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 23-DEC-2024. Prints or copies of Information are only valid on the printed Publication date