
## be quiet! Shadow Base 800 DX White Midi Tower Valkoinen

Tuotemerkki : be quiet! Tuotekoodi: BGW62

Tuotteen nimi: Shadow Base 800 DX White







Design		Cooling	
Material	Acrylonitrile butadiene styrene (ABS), Steel, Tempered glass	Number of rear fans supported (max)	1
Form factor *	Midi Tower	Rear fans diameters supported	120,140 mm
Type *	PC	Top fans installed	1x 140 mm
Product colour *	White	Number of top fans supported	3
Supported motherboard form factors *	ATX, EATX, micro ATX, Mini-ITX	(max) Top fans diameters supported	120,140 mm
Number of 3.5" bays *	2	Number of bottom fans supported	1
Number of 2.5" bays	4	(max)	
Number of expansion slots	7	Bottom fans diameters supported	120,140 mm
Side window	✓	Fan speed	0 - 1200 RPM
Illumination	✓	Maximum airflow	57.4 cfm
Illumination colour	Multi	Maximum air pressure	0.96 mmH2O
Illumination location	Front	Liquid cooling capability	✓
Tempered glass panel(s)	<b>✓</b>	Front radiator sizes supported	120,140,240,280,360,420 mm
Anti-dust filter	<b>✓</b>	Rear radiator sizes supported	120 mm
Reset button	<b>/</b>	Top radiator sizes supported	140,240,360,120,280,420 mm
On/off button	· ·	Storage	
Maximum CPU cooler height	18 cm	Supported HDD sizes *	2.5,3.5"
Maximum graphics card length	43 cm	Technical details	
Maximum PSU length	30.5 cm	Sustainability compliance	✓
Power supply		Sustainability certificates	Triman
Power supply included *	x	Compliance certificates	CE, REACH, RoHS, UKCA, WEEE
Supported power supply form	ATX, PS2	Weight & dimensions	
factors	A17,132	Width	247 mm
Ports & interfaces		Depth	550 mm
Audio input	<b>✓</b>	Height	522 mm
Audio output	<b>✓</b>	Weight	11.8 kg
USB 3.2 Gen 2 (3.1 Gen 2) Type-C	1	Packaging data	
ports quantity *		LED controller	✓
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	2	Package width	319 mm
		Package depth	575 mm
Cooling		Package height	628 mm
Front fans installed	1x 140 mm	Package weight	13.2 kg

## Cooling

Number of front fans supported (max)

3

Front fans diameters supported Rear fans installed

120,140 mm 1x 140 mm



4260052190623

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.