## ASUS ROG -STRIX-RTX4080S-16G-GAMING NVIDIA GEForce RTX 4080 SUPER 16 GB GDDR6X

Brand : ASUS

Product family: ROG

Product code: 90YV0KB1-M0NA00

Product name : ROG-STRIX-RTX4080S-16G-GAMING

- Powered by NVIDIA DLSS3, ultra-efficient Ada Lovelace arch, and full ray tracing
- 4th Generation Tensor Cores: Up to 4x performance with DLSS 3 vs. brute-force rendering
- 3rd Generation RT Cores: Up to 2X ray tracing performance

- Axial-tech fans scaled up for 23% more airflow

- New patented vapor chamber with milled heatspreader for lower GPU temps

- 3.5-slot design: massive fin array optimized for airflow from the three Axial-tech fans

- Diecast shroud, frame, and backplate add rigidity and are vented to further maximize airflow and heat dissipation

- Digital power control with high-current power stages and 15K capacitors to fuel maximum performance
- Auto-Extreme precision automated manufacturing for higher reliability

- GPU Tweak III software provides intuitive performance tweaking, thermal controls, and system monitoring

16 GB, GDDR6X, 256-bit, PCI Express 4.0, 2580 MHz OC mode clock, 2x HDMI, 3x DisplayPort, 1x 16-pin, 3.5 slot, ARGB





Processor		Performance	
CUDA * CUDA cores Graphics processor family * Graphics processor * Processor boost clock speed Processor frequency (OC mode) Maximum resolution *	7680 x 4320 pixels Not supported	HDCP HDCP version Dual Link DVI * NVIDIA G-SYNC Design Cooling type * Cooling technology	✓ 2.3 × ✓ Active ASUS Axial-tech
Parallel processing technology support * Maximum displays per videocard Memory		Number of fans Form factor Bracket height	3 fan(s) Full-Height/Full-Length (FH/FL) Full-Height (FH)
Discrete graphics card memory * Graphics card memory type * Memory bus * Data transfer rate	16 GB GDDR6X 256 bit 23 Gbit/s	Number of slots Illumination Illumination colour Product colour	3.5 ✓ Multi Black
Ports & interfaces		Power	
Interface type * HDMI ports quantity *	PCI Express 4.0 2	Minimum system power supply * Supplementary power connectors	850 W 1x 16-pin
HDMI version	2.1a	System requirements	
DisplayPorts quantity * DisplayPort version	3 1.4a	Windows operating systems supported	Windows 11
Performance		Weight & dimensions	
TV tuner integrated * DirectX version * OpenGL version *	× 12 Ultimate 4.6	Length Depth Height	357.6 mm 70.1 mm 149.3 mm
Virtual Reality (VR) ready	1	Packaging data	
		Package type	Box

Packaging content
Manual



4711387451144

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.