



MSI MPG A1000G PCIE5 virtalähdeyksikkö 1000 W 20+4 pin ATX ATX musta



Tuotemerkki : MSI

Tuotekoodi: MPG A1000G PCIE5

Tuotteen nimi : MPG A1000G PCIE5

MSI MPG A1000G PCIE5. Kokonaisteho: 1000 W, AC-syöttöjännite: 100 - 240 V, AC-syöttötaajuus: 50 - 60 Hz. Emolevyn virtaliitin: 20+4 pin ATX, Emolevyn virtapiuhan pituus: 60 cm, SATA-virtakaapelin pituus: 500,650,700,850 mm. Tarkoitus: PC/palvelin, Virransyöttöyksikön mitat: ATX, 80 PLUS certification: 80 PLUS Gold. Tuotteen väri: musta, Jäähdytyksen tyyppi: Aktiivinen, Tuulettimen halkaisija: 13,5 cm. Tuotteen leveys: 150 mm, Tuotteen syvyys: 150 mm, Tuotteen korkeus: 86 mm



Power		Ports & interfaces	
Total power *	1000 W	EPS power connector (4+4 pin)	✓
AC input voltage *	100 - 240 V	PCI Express power connectors (6+2 pin)	6
AC input frequency	50 - 60 Hz	PCI Express power connectors (16-pin)	1
Power Factor Correction (PFC) type	Active	PCI Express power cable length	75 cm
Combined power (+3.3V)	120 W	Floppy disk drive connector	✓
Combined power (+12V)	1000 W	Cabling type	Fully-Modular
Combined power (+5V)	120 W	Performance	
Combined power (-12V)	3.6 W	80 PLUS certification *	80 PLUS Gold
Combined power (+5Vsb)	15 W	Purpose *	PC/Server
Max output current (+3.3V)	22 A	Power supply unit (PSU) form factor *	ATX
Max output current (+12V)	83.5 A	ATX version	3.0
Max output current (+5V)	22 A	Bearing technology	FDB
Max output current (-12V)	0.3 A	Design	
Max output current (+5Vsb)	3 A	Product colour	Black
Efficiency	90%	Cooling type	Active
Power protection features	Over current, Over power, Over voltage, Overheating, Short circuit, Under voltage	Fan diameter	13.5 cm
		Number of fans	1 fan(s)
		Illumination	✗
Ports & interfaces		Weight & dimensions	
Motherboard power connector *	20+4 pin ATX	Width	150 mm
Motherboard power cable length	60 cm	Depth	150 mm
Number of SATA power connectors	12	Height	86 mm
SATA power cable length	500,650,700,850 mm	Other features	
Peripheral (Molex) power connectors (4-pin) *	4	EPS cable length	70 cm
Peripheral (Molex) power cable length	1100,500,650,700,850 mm		
EPS power connector (8-pin)	✗		



4719072972196

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 07-APR-2025. Prints or copies of Information are only valid on the printed Publication date