

## ASUS Dual -RTX4070S-12G-EVO NVIDIA GeForce RTX 4070 SUPER 12 GB GDDR6X

**Brand :** ASUS

**Product family:** Dual

**Product code:** 90YV0KC1-M0NA00



**Product name :** DUAL-RTX4070S-12G-EVO

- Powered by NVIDIA DLSS3, ultra-efficient Ada Lovelace arch, and full ray tracing
  - 4th Generation Tensor Cores: Up to 4x performance with DLSS 3 vs. brute-force rendering
  - 3rd Generation RT Cores: Up to 2x ray tracing performance
  - Axial-tech fan design features a smaller fan hub that facilitates longer blades and a barrier ring that increases downward air pressure
  - A 2.5-slot design maximizes compatibility and cooling efficiency for superior performance in small chassis
  - 0dB technology lets you enjoy light gaming in relative silence
  - Dual ball fan bearings can last up to twice as long as sleeve bearing designs
- Dual GeForce RTX 4070 SUPER EVO 12GB GDDR6X gaming graphics card (Nvidia RTX4070 SUPER DLSS 3, PCIe 4.0, 1x HDMI 2.1a, 3x DisplayPort 1.4a, DUAL-RTX4070S-12G-EVO)




<b>Processor</b>		<b>Performance</b>	
CUDA *	✓	OpenGL version *	4.6
CUDA cores	7168	HDCP	✓
Graphics processor family *	NVIDIA	HDCP version	2.3
Graphics processor *	GeForce RTX 4070 SUPER	Dual Link DVI *	✗
Processor boost clock speed	2475 MHz	NVIDIA G-SYNC	✓
Processor boost clock speed (OC mode)	2505 MHz	NVIDIA Ansel	✓
Maximum resolution *	7680 x 4320 pixels	<b>Design</b>	
Parallel processing technology support *	Not supported	Cooling type *	Active
Maximum displays per videocard	4	Cooling technology	ASUS Axial-tech
<b>Memory</b>		Number of fans	2 fan(s)
Discrete graphics card memory *	12 GB	Form factor	Full-Height/Half-Length (FH/HL)
Graphics card memory type *	GDDR6X	Number of slots	2.5
Memory bus *	192 bit	Product colour	Black
Data transfer rate	21 Gbit/s	<b>Power</b>	
<b>Ports &amp; interfaces</b>		Minimum system power supply *	750 W
Interface type *	PCI Express 4.0	Supplementary power connectors	1x 16-pin
HDMI ports quantity *	1	<b>Weight &amp; dimensions</b>	
HDMI version	2.1a	Weight	684 g
DisplayPorts quantity *	3	Length	227.2 mm
DisplayPort version	1.4a	Depth	49.6 mm
<b>Performance</b>		Height	123.2 mm
TV tuner integrated *	✗	<b>Packaging data</b>	
DirectX version *	12 Ultimate	Package width	368 mm
		Package depth	220.5 mm
		Package height	68 mm
		Package weight	1.16 kg


**Packaging data**

Package type


Box



4711387476017



0197105476028



197105476028

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.