## MSI MEG Z790 GODLIKE MAX emolevy Intel Z790 LGA 1700 Laajennettu ATX

Tuotemerkki: MSI Tuotekoodi: MEG Z790 GODLIKE MAX

Tuotteen nimi: MEG Z790 GODLIKE MAX

MSI MEG Z790 GODLIKE MAX. Suoritinvalmistaja: Intel, Prosessorin kanta: LGA 1700, Yhteensopivat prosessorit: Intel® Celeron®, Intel® Pentium® Gold. Tuetut muistityypit: DDR5-SDRAM, Sisäinen enimmäismuisti: 192 GB, Muistikanavat: Kaksikanava. Tuetut tallennusasemaliitännät: M.2, PCI Express, Tuetut tallennusasematyypit: HDD & SSD, Sisäinen tallennuskapasiteetti: 10 GB. Ethernet-liitännän tyyppi: 2.5 Gigabit Ethernet, Wi-Fi-standardi: Wi-Fi 6 (802.11ax), Wi-Fi-standardit: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax). Komponentti (tuotteelle): PC, Emolevyn muototekijä: Laajennettu ATX, Emolevyn piirisarjan perhe: Intel





| Processor                                                      |                                                                                                             | Internal I/O                                      |                                                                                            |
|----------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|---------------------------------------------------|--------------------------------------------------------------------------------------------|
| Processor manufacturer *                                       | Intel                                                                                                       | RGB LED pin header                                | ✓                                                                                          |
| Processor socket *                                             | LGA 1700                                                                                                    | Rear panel I/O ports                              |                                                                                            |
| Compatible processor series *                                  | Intel® Celeron®, Intel® Pentium® Gold                                                                       | USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity * | 7                                                                                          |
| Supported processor sockets                                    | LGA 1700                                                                                                    | USB 3.2 Gen 2 (3.1 Gen 2) Type-C                  |                                                                                            |
| Memory                                                         |                                                                                                             | ports quantity *                                  | 1                                                                                          |
| Supported memory types *                                       | DDR5-SDRAM                                                                                                  | Ethernet LAN (RJ-45) ports *                      | 1                                                                                          |
| Number of memory slots *                                       | 4                                                                                                           | HDMI ports quantity *                             | 1                                                                                          |
| Memory channels                                                | Dual-channel                                                                                                | HDMI version                                      | 2.1                                                                                        |
| ECC compatibility                                              | Non-ECC                                                                                                     | DisplayPorts quantity                             | 1                                                                                          |
| Supported memory clock speeds                                  | 7800, 7600, 7400, 7200, 7000,<br>6800, 6600, 6400, 6200, 6000,<br>5800, 5600, 5400, 5200, 5000,<br>4800 MHz | DisplayPort version                               | 1.4                                                                                        |
|                                                                |                                                                                                             | S/PDIF out port                                   | ✓                                                                                          |
|                                                                |                                                                                                             | Network                                           |                                                                                            |
| Maximum internal memory *                                      | 192 GB                                                                                                      | Ethernet LAN                                      | 1                                                                                          |
| Unbuffered memory                                              | ✓                                                                                                           | Ethernet interface type                           | 2.5 Gigabit Ethernet                                                                       |
| Storage controllers                                            |                                                                                                             | Wi-Fi *                                           | <b>✓</b>                                                                                   |
| Supported storage drive types                                  | HDD & SSD                                                                                                   | Top Wi-Fi standard                                | Wi-Fi 6 (802.11ax)                                                                         |
| Supported storage drive interfaces * Internal storage capacity | 10 GB                                                                                                       | Wi-Fi standards                                   | 802.11a, 802.11b, 802.11g, Wi-Fi 4<br>(802.11n), Wi-Fi 5 (802.11ac), Wi-Fi<br>6 (802.11ax) |
| RAID support                                                   | •                                                                                                           | Bluetooth                                         | ✓                                                                                          |
| RAID levels                                                    | 0, 5, 10                                                                                                    | Bluetooth version                                 | 5.3                                                                                        |
| Graphics                                                       |                                                                                                             | Features                                          |                                                                                            |
| Parallel processing technology support *                       | Not supported                                                                                               | Motherboard chipset *                             | Intel Z790                                                                                 |
| On-board graphics card                                         | ×                                                                                                           | Audio output channels *                           | 7.1 channels                                                                               |
| 5 .                                                            | ^                                                                                                           | Product colour                                    | Black                                                                                      |
| Internal I/O                                                   |                                                                                                             | Component for *                                   | PC                                                                                         |
| USB 2.0 connectors *                                           | 4                                                                                                           | Motherboard form factor *                         | Extended ATX                                                                               |
| USB 3.2 Gen 1 (3.1 Gen 1) connectors *                         | 4                                                                                                           | Motherboard chipset family *                      | Intel                                                                                      |
| USB 3.2 Gen 2 (3.1 Gen 2) connectors *                         | 2                                                                                                           | Windows operating systems supported               | Windows 10 x64, Windows 11 x64                                                             |


| Internal I/O                    |   | Expansion slots         |          |
|---------------------------------|---|-------------------------|----------|
| Number of SATA III connectors * | 6 | PCI Express x16 slots   | 2        |
| Front panel audio connector     | ✓ | Number of M.2 (M) slots | 4        |
| Front panel connector           | ✓ | BIOS                    |          |
| CPU fan connector               | ✓ | BIOS type *             | UEFI AMI |
| Chassis intrusion connector     | ✓ | Weight & dimensions     |          |
| TPM connector                   | ✓ | Width                   | 310 mm   |
|                                 |   | Depth                   | 304.8 mm |
|                                 |   | Packaging content       |          |
|                                 |   | Cables included         | SATA     |





824142339442

0824142339442



4711377142014

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.