msi

## MSI CAS MPG GUNGNIR 110R WHITE Midi Tower Valkoinen

Tuotemerkki : MSI

Tuotekoodi: MPG GUNGNIR 110R WHITE

Tuotteen nimi : CAS MPG GUNGNIR 110R WHITE

MSI CAS MPG GUNGNIR 110R WHITE. Kotelo: Midi Tower, Malli: PC, Tuotteen väri: Valkoinen. Virtalähteen sijainti: Alapuolella, Tuettujen virtalähteiden malli: ATX. Asennettuja tuulettimia edessä: 3x 120 mm, Etutuuletinten tuetut koot: 120,140 mm, Asennettuja takatuulettimia: 1x 120 mm. Tuetut HDD-koot: 2.5". Tuotteen leveys: 215 mm, Tuotteen syvyys: 430 mm, Tuotteen korkeus: 450 mm



Design		Ports & interfaces	
Material	Metal	USB 3.2 Gen 2 (3.1 Gen 2) Type-C	1
Form factor *	Midi Tower	ports quantity *	
Type *	PC	Cooling	
Product colour *	White	Front fans installed	3x 120 mm
Supported motherboard form factors *	ATX, micro ATX, Mini-ITX	Number of front fans supported (max)	6
Number of 3.5" bays *	2	Front fans diameters supported	120,140 mm
Number of 2.5" bays	2	Rear fans installed	1x 120 mm
Number of expansion slots Suitable for	7 Gaming	Number of rear fans supported (max)	1
Illumination		Rear fans diameters supported	120 mm
Illumination colour	Multi	Number of top fans supported	2
Illumination location	Case fans	(max)	
Tempered glass panel(s)	1	Top fans diameters supported	120,140 mm
Built-in speaker(s)	×	Liquid cooling capability	
Anti-dust filter	1	Front radiator sizes supported	120,140,240,280,360 mm
Reset button		Rear radiator sizes supported	120 mm
On/off button		Top radiator sizes supported	120,240 mm
		Storage	
RGB control button	✓ 	Supported HDD sizes *	2.5"
Maximum CPU cooler height	17 cm	Number of HDDs supported	2
Maximum graphics card length	34 cm 25 cm	Weight & dimensions	
Maximum PSU length	23 CIII	Width	215 mm
Power supply		Depth	430 mm
Power supply included *	×	Height	450 mm
Power supply location	Bottom	Weight	7.9 kg
Number of power supply units	1	-	-

Power supply		Packaging data	
Supported power supply form factors	ATX	LED controller Package weight	✓ 9.25 kg
Ports & interfaces		Logistics data	5
Audio input	<i>√</i>	Country of origin	China
Audio output	✓		
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2		



4719072899301

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.