

DELL OptiPlex 7010 Intel® Core™ i5 i5-12500T 16 GB DDR4-SDRAM 512 GB SSD Windows 11 Pro MFF Mini PC musta

Tuotemerkki : DELL Tuoteperhe: OptiPlex Tuotekoodi: K47XF

Tuotteen nimi: 7010

DELL OptiPlex 7010. Suoritinperhe: Intel® Core™ i5, Prosessorimalli: i5-12500T. Sisäinen muisti: 16 GB, Sisäisen muistin tyyppi: DDR4-SDRAM, Muistin kellotaajuus: 3200 MHz. Kokonaistallennuskapasiteetti: 512 GB, Tallennusmedia: SSD. Sisältyvän näytönohjaimen malli: Intel UHD Graphics 770. Wi-Fi. Käyttöjärjestelmä asennettu: Windows 11 Pro, Käyttöjärjestelmän arkkitehtuuri: 64-bittinen. Virtalähde: 90 W. Alustatyyppi: MFF. Tuotetyyppi: Mini PC. Tuotteen väri: musta





Processor		Ports & interfaces	
Processor manufacturer *	ssor family * Intel® Core™ i5 ssor generation 12th gen Intel® Core™ i5 ssor model * i5-12500T ssor cores 6 ssor threads 12	Combo headphone/mic port	✓
Processor family *		Design	
Processor generation Processor model * Processor cores Processor threads Processor boost frequency		Chassis type * Placement supported Cable lock slot Cable lock slot type	MFF Horizontal/Vertical ✓ Kensington
Performance cores	6	Product colour *	Black
Performance-core Max Turbo Frequency Performance-core base frequency	4.4 GHz ance-core base frequency 2 GHz or cache 18 MB or cache type Smart Cache of processors installed 1	Performance Motherboard chipset	Intel Q670
Processor cache Processor cache type Number of processors installed Processor base power		Audio chip Audio system Trusted Platform Module (TPM) Product type *	Realtek ALC3246 High Definition Audio ✓ Mini PC
Maximum turbo power	74 W	Software	
Memory Internal memory * 16 GB	Operating system installed * Operating system architecture	Windows 11 Pro 64-bit	
Maximum internal memory *	64 GB	Operating system language	Danish, English, Finnish, Norwegian, Swedish
Internal memory type Memory layout (slots x size)	DDR4-SDRAM 1 x 16 GB	Trial software	No Microsoft Office License Included 30 day Trial Offer Only
Memory slots Memory clock speed	2x SO-DIMM 3200 MHz	Power	
Storage	3200 PH12	Power supply * Power supply input voltage	90 W 100 - 240 V
Total storage capacity *	512 GB	Power supply input frequency	50 - 60 Hz
Storage media *	SSD	Operational conditions	
Optical drive type * Total SSDs capacity	X 512 GB	Operating temperature (T-T) Storage temperature (T-T)	10 - 35 °C -40 - 65 °C

Storage		Operational conditions	
Number of SSDs installed SSD capacity SSD interface NVMe SSD form factor SSD performance class	1 512 GB PCI Express ✓ M.2 25	Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating vibration Non-operating vibration Non-operating shock	20 - 80% 5 - 95% -15.2 - 3048 m -15.2 - 10668 m 0.26 G 1.37 G 105 G
Graphics		Weight & dimensions	
On-board graphics card * On-board graphics card * Discrete graphics card model * On-board GPU manufacturer	X ✓ Not available Intel	Width * Depth * Height *	36 mm 178 mm 182 mm
On-board graphics card family	Intel® UHD Graphics	Packaging content	
On-board graphics card model *	Intel UHD Graphics 770	Display included *	×
Network		Mouse included on selected markets only	✓
Ethernet LAN * Ethernet LAN data rates Cabling technology Wi-Fi *	10,100,1000 Mbit/s 10/100/1000Base-T(X)	Mouse connectivity Keyboard included on selected markets only Keyboard connectivity	Wired ✓ Wired
Top Wi-Fi standard	Wi-Fi 6E (802.11ax)	Carbon footprint	
Wi-Fi standards WLAN controller manufacturer WLAN controller model	802.11a, Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6E (802.11ax) Intel Intel Wi-Fi 6E AX211	Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, manufacturing (kg of CO2e)	91 57 59
Antenna type Bluetooth	2x2 ✓	Carbon emissions, logistics (kg of CO2e)	2
Ports & interfaces		Carbon emissions, energy usage (kg of CO2e)	28
USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * HDMI ports quantity *	2 4 1	Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e)	1 62
HDMI version DisplayPorts quantity DisplayPort version Ethernet LAN (RJ-45) ports	1.4b 1 1.4a 1	PAIA version	GaBi version 1, 2024



5397184851081

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.