QNAP.

QNAP TS-264 NAS Tower Intel® Celeron® N5095 8 GB 0 TB QNAP QTS musta, Kulta

Tuotemerkki : QNAP Tuotekoodi: TS-264-8G

Tuotteen nimi: TS-264

QNAP TS-264. Malli: NAS. Alustatyyppi: Tower. Laitteen luokka: Koti & Kotitoimisto. Suoritinperhe: Intel® Celeron®, Prosessorimalli: N5095, Prosessorin taajuus: 2 GHz. Sisäinen muisti: 8 GB. Asennetun muistin kokonaiskapasiteetti: 0 TB. Käyttöjärjestelmä asennettu: QNAP QTS





Storage		Performance	
Supported storage drive interfaces	Serial ATA III	Multilingual support	✓
Storage drive sizes supported	2.5,3.5"	Number of users	4096 user(s)
Number of M.2 (M & B) slots	2	Snapshot	✓
RAID support *	1	Share folder access right	/
RAID levels	0, 1, JBOD	management	
Online RAID migration	1	Security algorithms	256-bit AES, FIPS 140-2
Online RAID expansion	✓	Access Control List (ACL)	•
RAID rebuild	✓	Reset button	✓
Hot-swap drive bays	✓	On/off switch	•
Supported file systems	FAT32, HFS+, NTFS, exFAT, ext3,	Built-in FTP server	✓
Storage drives installed *	ext4	Browser supported	Apple Safar, Google Chrome, Microsoft Edge, Mozilla Firefox
Total installed storage capacity *	0 TB	System log	✓
Number of storage drives supported	2	Hot spare	✓
*	-	S.M.A.R.T. support	✓
Installed storage drive type *	×	Share folder	512
Supported storage drive types *	HDD & SSD	Remotely operated	✓
Disk roaming	✓	USB copy function	✓
Processor		Software	
Processor manufacturer * Processor family * Processor model * Processor frequency * Processor boost frequency Processor cores Processor threads Processor cache CPU configuration (max) On-board graphics card model Memory	Intel Intel® Celeron® N5095 2 GHz 2.9 GHz 4 4 4 MB 1 Intel® UHD Graphics	Operating system installed * Operating system version	QNAP QTS 5.0.1
Internal memory *	8 GB		
Maximum RAM supported Flash memory	8 GB 4000 MB		

Network		Software	
Ethernet LAN * Ethernet LAN data rates DHCP server Jumbo frames support iSCSI support Supported network protocols Dynamic DNS (DDNS) Ports & interfaces USB port * USB 2.0 ports quantity USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity HDMI ports quantity HDMI version Ethernet LAN (RJ-45) ports * Concurrent connections	10,100,1000,2500 Mbit/s 10,100,1000,2500 Mbit/s 1Pv4, IPv6 2 2 1 2.0 2 1500	Windows operating systems supported	Windows 7 Ultimate x64, Windows 10, Windows 7 x64, Windows 10 Education, Windows 8, Windows 10 Education x64, Windows 7, Windows 8 Enterprise, Windows 10 Enterprise, Windows 7 Enterprise, Windows 8 Enterprise x64, Windows 10 Enterprise x64, Windows 7 Enterprise x64, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 8 Pro, Windows 10 Home, Windows 7 Home Basic x64, Windows 8 x64, Windows 10 IOT Core, Windows 7 Home Premium, Windows 8.1, Windows 10 IoT Enterprise, Windows 7 Home Premium x64, Windows 8.1 Enterprise, Windows 10 Pro, Windows 7 Professional, Windows 8.1 Enterprise x64, Windows 10 Pro x64, Windows 7 Professional x64, Windows 7 Professional x64, Windows 8.1 Pro, Windows 7 Professional x64, Windows 7
PCI Express x2 (Gen 3.x) slots Design	1		Windows 10 x64, Windows 7 Starter, Windows 8.1 Pro x64, Windows 11, Windows 7 Starter x64, Windows 8.1 x64, Windows 11
Chassis type * Cooling type * Product colour Number of fans Fan diameter LED indicators Cable lock slot	Tower Active Black, Gold 1 fan(s) 7 cm HDD, LAN, Power, Status, USB	Linux operating systems supported Mac operating systems supported	x64, Windows 7 Ultimate Mac OS X 10.13 High Sierra, Mac OS X 11.0 Big Sur, Mac OS X 10.14 Mojave, Mac OS X 12.0 Monterey, Mac OS X 10.15 Catalina, Mac OS X 10.10 Yosemite, Mac OS X 10.15.3 Catalina, Mac OS X 10.11 El
Cable lock slot type Performance	Kensington	Server operating systems supported	
Type * Device class * Rackup function *	NAS Home & Home Office	Other operating systems supported	2008 R2, Windows Server 2012 Solaris 10, Solaris 10 SPARC, Solaris 11, Solaris 11 SPARC, IBM AIX 7.1, IBM AIX 7.2
Backup function * Backup features	✓ USB drive, iSCSI LUN	Power	<u>-</u>
Backup features Buzzer	USB drive, ISCSI LUN ✓	Power supply location Power supply unit (PSU) capacity Power consumption (typical) Power consumption (sleep) AC input voltage Fan voltage	External 65 W 12.448 W 18.288 W 100 - 240 V
		Weight & dimensions	
		Width * Depth * Height * Weight Package weight	105 mm 226 mm 168 mm 1.55 kg 2.68 kg
		Packaging content	
		External power adapter Cables included Power cables quantity Quick installation guide Number of screws	AC, LAN (RJ-45) 1 12
		Processor special features	
		Enhanced Intel SpeedStep Technology	1
		Enhanced Intel SpeedStep	* * * *


Processor special features Intel Virtualization Technology (VT-x) Intel Virtualization Technology for Directed I/O (VT-d) Intel VT-x with Extended Page Tables (EPT) Operational conditions Operating temperature (T-T) 0 - 40 °C Operating relative humidity (H-H) 5 - 95%

-20 - 70 °C

Other features

Storage temperature (T-T)

Fibre Channel



4711103082331

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.