**Shuttle**

Shuttle POS P250 All-in-One-tietokone/-työasema Intel® N N100 29,5 cm (11.6") 1366 x 768 pikseliä Kosketusnäyttö All-in-one PC 8 GB DDR5-SDRAM 120 GB SSD Wi-Fi 5 (802.11ac) musta

Tuotemerkki : Shuttle **Tuotekoodi:** POS P250

Tuotteen nimi : POS P250

Shuttle POS P250. Tuotetyyppi: All-in-one PC. Näytön halkaisija: 29,5 cm (11.6"), HD-tyyppi: HD, Näytön erottelutarkkuus: 1366 x 768 pikseliä, Kosketusnäyttö, Paneelin tyyppi: TN. Suoritinperhe: Intel® N. Sisäinen muisti: 8 GB, Sisäisen muistin tyyppi: DDR5-SDRAM. Kokonaistallennuskapasiteetti: 120 GB, Tallennusmedia: SSD. Sisältyvän näytönohjaimen malli: Intel® UHD Graphics. Sisäänrakennettu kamera. Tuotteen väri: musta

Display

Display diagonal *	29.5 cm (11.6")
Display resolution *	1366 x 768 pixels
Touchscreen *	✔
HD type *	HD
Native aspect ratio	16:9
Display brightness	250 cd/m²
Panel type	TN

Processor

Processor manufacturer *	Intel
Processor family *	Intel® N
Processor model *	N100
Processor cores	4
Processor boost frequency	3.4 GHz
Processor cache	6 MB
Processor cache type	Smart Cache

Memory

Internal memory *	8 GB
Internal memory type	DDR5-SDRAM
Maximum internal memory *	16 GB
Memory slots type	SO-DIMM
Memory clock speed	4800 MHz

Storage

Total storage capacity *	120 GB
Storage media *	SSD
Number of storage drives installed	1
Total SSDs capacity	120 GB
Number of SSDs installed	1
SSD capacity	120 GB
SSD interface	PCI Express
NVMe	✔
SSD form factor	M.2
Optical drive type *	✘

Network

WLAN controller model	Realtek RTL8821CE
Ethernet LAN *	✔
Ethernet LAN data rates	10,1000,2500 Mbit/s
Bluetooth *	✔
Bluetooth version	4.2

Ports & interfaces

Ethernet LAN (RJ-45) ports	1
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	6
HDMI ports quantity *	1
HDMI version	2.0b
VGA (D-Sub) ports quantity	1
Headphone outputs	1
Microphone in	✔
DC-in jack	✔
Serial ports quantity	2
Number of rear USB ports	4
Number of side USB ports	2
Number of side audio ports	2

Design

Product colour *	Black
Cable lock slot	✔
Cable lock slot type	Kensington
Wall mountable	✔
VESA mounting	✔
Panel mounting interface	75 x 75 mm
On/off button	✔

Performance

Product type *	All-in-One PC
Market positioning	Business
Motherboard chipset	Intel SoC
Trusted Platform Module (TPM)	✔

Graphics

Discrete graphics card *	✘
Discrete graphics card model *	Not available
On-board graphics card *	✔
On-board GPU manufacturer	Intel
On-board graphics card family	Intel® UHD Graphics
On-board graphics card model *	Intel® UHD Graphics

Audio

Built-in speaker(s) *	✔
Number of speakers	1
RMS rated power	2 W
Built-in microphone	✔
Audio chip	RealTek ALC888S
Audio system	HD

Camera

Built-in camera *	✔
Total megapixels	2 MP
Camera resolution	1920 x 1080 pixels
Camera HD type	Full HD

Network

Wi-Fi *	✔
Top Wi-Fi standard *	Wi-Fi 5 (802.11ac)
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
WLAN controller manufacturer	Realtek

Performance

Trusted Platform Module (TPM) version	2.0

Software

Operating system installed *	✘

Power

AC adapter power	65 W
AC adapter frequency	50/60 Hz
AC adapter input voltage	100 - 240 V
AC adapter output voltage	19 V

Weight & dimensions

Width (with stand)	299 mm
Depth (with stand)	59 mm
Height (with stand)	207 mm
Weight (with stand)	1.95 kg
Package weight	3.14 kg

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	10 - 90%

Certificates

Compliance certificates	BSMI, CE, Federal Communications Commission (FCC), RCM, UKCA, VCCI

Sustainability

Sustainability compliance	✔

Logistics data

Harmonized System (HS) code	84714100

4046047104123