

DELL UltraSharp U3425WE tietokoneen litteä näyttö 86,7 cm (34.1") 3440 x 1440 pikseliä Wide Quad HD LCD musta, Hopea

Tuotemerkki : DELL

Tuoteperhe: UltraSharp

Tuotekoodi: DELL-U3425WE

Tuotteen nimi : U3425WE

DELL UltraSharp U3425WE. Näytön halkaisija: 86,7 cm (34.1"), Näytön erottelutarkkuus: 3440 x 1440 pikseliä, HD-tyyppi: Wide Quad HD, Näytön teknologia: LCD, Vasteaika (tyypillinen): 8 ms, Vakiokuvasuhde: 21:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäiset kaiuttimet. Sisäänrakennettu USB-keskus, USB-keskuksen versio: 3.2 Gen 2 (3.1 Gen 2). VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: musta, Hopea





Display		Ergonomics	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * Backlight type Touchscreen * Display brightness (typical) Response time * Anti-glare screen Screen shape * Screen curvature rating	86.7 cm (34.1") 3440 x 1440 pixels Wide Quad HD 21:9 LCD IPS LED × 300 cd/m ² 8 ms ✓ Curved 1900R	Cable lock slot * Cable lock slot type Height adjustment * Height adjustment Pivot Swivelling Swivel angle range Tilt adjustment Tilt angle range On Screen Display (OSD) Plug and Play LED indicators	 Kensington I5 cm X -30 - 30° -5 - 21° ✓ ✓
Supported graphics resolutions Supported video modes	640 x 480 (VGA), 720 x 480, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 800 (WXGA), 1600 x 1200, 1920 x 1080 (HD 1080), 2560 x 1440, 3440 x 1440 480p, 576p, 720p, 1080i, 1080p	Power Energy efficiency class (SDR) * Energy efficiency class (HDR) * Energy consumption (SDR) per 1000 hours * Power consumption (typical) *	F Not available 32 kWh 31.5 W
Contrast ratio (typical) * Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Response time (fast) Pixel pitch Pixel density Horizontal scan range Vertical scan range	2000:1 120 Hz 178° 178° 1.07 billion colours 5 ms 0.2325 x 0.2325 mm 110 ppi 25 - 185 kHz 48 - 120 Hz	Power consumption (standby) * Power consumption (max) Power consumption (off) AC input voltage AC input frequency Input current Power supply type Energy efficiency scale European Product Registry for Energy Labelling (EPREL) code	0.5 W 250 W 0.3 W 100 - 240 V 50/60 Hz 3.2 A Internal A to G 1777749

Display		Operational conditions	
Viewable size, horizontal	80 cm	Operating temperature (T-T)	0 - 40 °C
Viewable size, vertical	33.5 cm	Storage temperature (T-T)	-20 - 60 °C
Viewable size diagonal	86.7 cm	Operating relative humidity (H-H)	10 - 80%
High Dynamic Range (HDR)	×	Storage relative humidity (H-H)	5 - 90%
supported Surface hardness	ЗН	Operating altitude	0 - 5000 m
Colour gamut standard	DCI-P3	Non-operating altitude	5000 - 12192 m
Colour gamut	98%	Weight & dimensions	
sRGB coverage (typical)	100%	Width (with stand)	813.5 mm
	10070	Depth (with stand)	240.4 mm
Performance		Height (with stand)	542.8 mm
NVIDIA G-SYNC *	×	Weight (with stand)	7.78 kg
AMD FreeSync *	×	Width (without stand)	813.5 mm
Flicker-free technology	1	Depth (without stand)	105.1 mm
Low Blue Light technology	1	Height (without stand)	359.1 mm
Multimedia		Weight (without stand)	10.4 kg
Number of speakers	2	Bezel width (side)	9.78 mm
RMS rated power	2 10 W	Bezel width (top)	1.04 cm
•	10 W ✓	Bezel width (bottom)	1.39 cm
Built-in speaker(s) * Built-in camera *		Packaging data	
Built-in camera *	×	Package weight	15.1 kg
Design		Packaging content	
Market positioning *	Business	Stand included	1
Product colour * Front bezel colour	Black, Silver Black	Cables included	AC, DisplayPort, HDMI, USB Type-C to USB Type-C
Detachable stand	1	Power adapter included	
Feet colour	Silver	Remote control included	
Ports & interfaces			×
	-	Stylus included	X
Built-in USB hub *		Quick start guide	1
USB hub version USB upstream port type	3.2 Gen 2 (3.1 Gen 2) USB Type-C	Sustainability	
Number of USB Type-C upstream		Sustainability compliance	✓
ports quantity	2	Sustainability certificates	ENERGY STAR, TCO
USB Type-A downstream ports quantity	5	Doesn't contain	PVC/BFR
USB Type-C downstream ports	3	Carbon footprint	
quantity	5	Total carbon footprint (kg of CO2e)	361
USB Type-C DisplayPort Alternate Mode	 Image: A start of the start of	Carbon emissions, manufacturing (kg of CO2e)	149
USB Power Delivery (USB PD)		Carbon emissions, logistics (kg of CO2e)	28
USB Power Delivery up to HDMI *	90 W	Carbon emissions, energy usage (kg of CO2e)	154
HDMI ports quantity HDMI version	1 2.1	Carbon emissions, end-of-life (kg of CO2e)	30
DisplayPorts quantity	1	Total carbon emissions, w/o use phase (kg of CO2e)	207
DisplayPort version	1.4	PAIA version	GaBi version 1, 2024
Thunderbolt 4 ports quantity Headphone out *	2	Other features	
	1		Ha (mercury)
Headphone outputs HDCP	1	Heavy metals free Compliance certificates	Hg (mercury) RoHS
HDCP HDCP version	✓ 1.4/2.2	Ethernet LAN (RJ-45) ports	1
	1.4/2.2		-
Network			
Wi-Fi	×		
Ergonomics			
VESA mounting *	✓		
Panel mounting interface	100 x 100 mm		
Wall mountable	 Image: A start of the start of		

Cable management

✓





5397184821503

0884116452034



884116452034

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.